

Compilerconstructie

najaar 2015

<http://www.liacs.leidenuniv.nl/~vlietrvan1/coco/>

Rudy van Vliet

kamer 124 Snellius, tel. 071-527 5777

rvvliet(at)liacs(dot)nl

college 1, woensdag 2 september 2015

Overview

Before I say another word

19 September, 2015: LKP

www.deleidscheflesch.nl/lkp

24 October, 2015: BAPC 2015 in Leiden

Why this course

It's part of the general background of a software engineer

- How do compilers work?
- How do computers work?
- What machine code is generated for certain language constructs?
- Working on a non-trivial programming project

After the course

- Know how to build a compiler for a simplified progr. language
- Know how to use compiler construction tools, such as generators for scanners and parsers
- Be familiar with compiler analysis and optimization techniques


Prior Knowledge

- Algoritmiek
- Fundamentele Informatica 2

Course Outline

- In class, we discuss the theory using the 'dragon book' by Aho et al.
- The theory is applied in the practicum to build a compiler that converts Pascal code to MIPS instructions.


A.V. Aho, M.S. Lam, R. Sethi, and J.D. Ullman,
Compilers: Principles, Techniques, & Tools,
Addison-Wesley, 2007, ISBN: 978-0-321-49169-5 (international edition).



Course Outline


- In class, we discuss the theory using the 'dragon book' by Aho et al.
- The theory is applied in the practicum to build a compiler that converts Pascal code to MIPS instructions.

A.V. Aho, M.S. Lam, R. Sethi, and J.D. Ullman,
Compilers: Principles, Techniques, & Tools,
Addison-Wesley, 2006, ISBN: 978-0-321-54798-9.



Earlier edition

- Dragon book has been revised in 2006
- In Second edition good improvements are made
 - Parallelism
 - * . . .
 - * Array data-dependence analysis
- First edition **may** also be used



A.V. Aho, R. Sethi, and J.D. Ullman,
Compilers: Principles, Techniques, and Tools,
Addison-Wesley, 1986, ISBN-10: 0-201-10088-6 / 0-201-10194-7 (international edition).

Course Outline

- Contact
 - Room 124, tel. 071-5275777, [rvvliet\(at\)liacs\(dot\)nl](mailto:rvvliet@liacs.nl)
 - Course website:
<http://www.liacs.leidenuniv.nl/~vlietrvan1/coco/>
Lecture slides, assignments, grades
- Practicum
 - 4 self-contained assignments
 - Teams of **two** students
 - Assignments are submitted by e-mail
 - Assistant: Dennis Roos
- Written exam
 - 14 December 2015, 14:00–17:00
 - 8 March 2016, 14:00–17:00

Course Outline

- You need to pass all 4 assignments and the written exam to obtain a sufficient grade
- Then, you obtain 6 EC
- Algorithm to compute final grade:

```
if (E >= 5.5)
{ if (A2,A3,A4 >= 5.5)
  { P = (A2+A3+A4)/3;
    F = (E+P)/2;
  }
  else
    F is undefined;
}
else
  F = E;
```

Studying only from the lecture slides may not be sufficient.
Relevant book chapters will be given.

Course Outline

(tentative)

1. Overview
2. Symbol Table / Lexical Analysis
3. Syntax Analysis 1 (+ exercise class)
4. Syntax Analysis 2 (+ exercise class)
5. Assignment 1
6. Static Type Checking
7. Assignment 2
8. Intermediate Code Generation 1 (+ lab session Friday)
9. Intermediate Code Generation 2
10. Assignment 3
11. Storage Organization and Code Generation
(+ exercise class + lab session Friday)
12. Code optimization 1 (+ exercise class)
13. Assignment 4
14. Code Optimization 2 (+ exercise class + lab session Friday)

Practicum

- Assignment 1: Calculator
- Assignment 2: Parsing & Syntax tree
- Assignment 3: Intermediate code
- Assignment 4: Assembly generation

2 × 2 academic hours of Lab session + 3 weeks to complete
(except assignment 1)

Strict deadlines (with one second chance)

Short History of Compiler Construction

Formerly 'a mystery', today one of the best known areas of computing

1957 Fortran first compilers

(arithmetic expressions, statements, procedures)

1960 Algol first formal language definition

(grammars in Backus-Naur form, block structure, recursion, ...)

1970 Pascal user-defined types, virtual machines (P-code)

1985 C++ object-orientation, exceptions, templates

1995 Java just-in-time compilation


We only consider **imperative languages**

Functional languages (e.g., Lisp) and logical languages (e.g., Prolog) require different techniques.

1.1 Language Processors


- **Compilation:**

Translation of a program written in a source language into a semantically equivalent program written in a target language



- **Interpretation:**

Performing the operations implied by the source program.




Compilers and Interpreters


- Compiler: Translates source code into machine code, with scanner, parser, . . . , code generator
- Interpreter: Executes source code 'directly', with scanner, parser
Statements in, e.g., a loop are scanned and parsed again and again

Compilers and Interpreters

- Hybrid compiler (Java):
 - Translation of a program written in a source language into a semantically equivalent program written in an intermediate language (bytecode)
 - Interpretation of intermediate program by virtual machine, which simulates physical machine



Compilation flow



1.2 The Structure of a Compiler

Analysis-Synthesis Model


There are two parts to compilation:

- Analysis
 - Determines the operations implied by the source program which are recorded in an intermediate representation, e.g., a tree structure
- Synthesis
 - Takes the intermediate representation and translates the operations therein into the target program

Other tools that use A-S Model

- Editors (syntax highlighting, text auto completion)
- Text formatters (\LaTeX , MS Word)

The Phases of a Compiler



The Phases of a Compiler

Character stream:

```
position = initial + rate * 60
```

Lexical Analyser (scanner)

Token stream:

$\langle \mathbf{id}, 1 \rangle \langle = \rangle \langle \mathbf{id}, 2 \rangle \langle + \rangle \langle \mathbf{id}, 3 \rangle \langle * \rangle \langle \mathbf{num}, 60 \rangle$



The Phases of a Compiler

Token stream:

$\langle \mathbf{id}, 1 \rangle \langle = \rangle \langle \mathbf{id}, 2 \rangle \langle + \rangle \langle \mathbf{id}, 3 \rangle \langle * \rangle \langle \mathbf{num}, 60 \rangle$


Syntax Analyser (parser)

Parse tree / syntax tree:




The Phases of a Compiler

Syntax tree:




Semantic Analyser

Syntax tree:



The Phases of a Compiler

Syntax tree:



Intermediate Code Generator

Intermediate code (three-address code):

```
t1 = inttofloat(60)
t2 = id3 * t1
t3 = id2 + t2
id1 = t3
```

The Phases of a Compiler

Intermediate code (three-address code):

```
t1 = inttfloat(60)
t2 = id3 * t1
t3 = id2 + t2
id1 = t3
```

Code Optimizer

Intermediate code (three-address code):

```
t1 = id3 * 60.0
id1 = id2 + t1
```


The Phases of a Compiler

Intermediate code (three-address code):

```
t1 = id3 * 60.0  
id1 = id2 + t1
```

Code Generator

Target code (assembly code):

```
LDF  R2, id3  
MULF R2, R2, #60.0  
LDF  R1, id2  
ADDF R1, R1, R2  
STF  id1, R1
```

1.2.8 The Grouping of Phases

- Front End:
scanning, parsing, semantic analysis, intermediate code generation
(source code → intermediate representation)
- (optional) machine independent code optimization
- Back End:
code generation, machine dependent code optimization
(intermediate representation → target machine code)

language-dependent

Java

C


Pascal

machine-dependent

Pentium

PowerPC

SPARC



Passes: Single-Pass Compilers

Phases work in an interleaved way

```
do
  scan token
  parse token
  check token
  generate code for token
while (not eof)
```

Portion of code is generated while reading portion of source program

Passes: Multi-Pass Compilers

Phases are separate 'programs', which run sequentially

characters → Scanner → tokens → Parser → tree
→ Semantic analyser → ... → code

Each phase reads from a file and writes to a new file.

Time vs memory


Nowadays: often two-pass compiler

1.2.9 Compiler-Construction Tools

Software development tools are available to implement one or more compiler phases

- Scanner generators
- Parser generators
- Syntax-directed translation engines
- Code generator generators
- Data-flow analysis engines

The Structure of **our** compiler



Syntax directed translation:

The compiler uses the syntactic structure of the language to generate output

2.2 Syntax Definition

Context-free grammar is a 4-tuple with

- A set of *nonterminals* (syntactic variables)
- A set of tokens (*terminal* symbols)
- A designated *start* symbol (nonterminal)
- A set of *productions*: rules how to decompose nonterminals

Example: Context-free grammar for simple expressions:

$$G = (\{list, digit\}, \{+, -, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}, list, P)$$

with productions P:

$$\begin{aligned} list &\rightarrow list + digit \\ list &\rightarrow list - digit \\ list &\rightarrow digit \\ digit &\rightarrow 0 \mid 1 \mid 2 \mid 3 \mid 4 \mid 5 \mid 6 \mid 7 \mid 8 \mid 9 \end{aligned}$$

Derivation

Given a context-free grammar, we can determine the set of all strings (sequences of tokens) generated by the grammar using derivations:

- We begin with the start symbol
- In each step, we replace one nonterminal in the current form with one of the right-hand sides of a production for that nonterminal

Derivation (Example)

$$G = (\{list, digit\}, \{+, -, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}, list, P)$$
$$list \rightarrow list + digit \mid list - digit \mid digit$$
$$digit \rightarrow 0 \mid 1 \mid 2 \mid 3 \mid 4 \mid 5 \mid 6 \mid 7 \mid 8 \mid 9$$

Example: 9-5+2

$$\begin{aligned} \underline{list} &\Rightarrow \underline{list} + digit \\ &\Rightarrow \underline{list} - digit + digit \\ &\Rightarrow \underline{digit} - digit + digit \\ &\Rightarrow 9 - \underline{digit} + digit \\ &\Rightarrow 9 - 5 + \underline{digit} \\ &\Rightarrow 9 - 5 + 2 \end{aligned}$$

This is an example of leftmost derivation, because we replaced the leftmost nonterminal (underlined) in each step


Parse Tree

(derivation tree in FI2)

- The root of the tree is labelled by the start symbol
- Each leaf of the tree is labelled by a terminal (=token) or ϵ (=empty)
- Each interior node is labelled by a nonterminal
- If node A has children X_1, X_2, \dots, X_n , then there must be a production $A \rightarrow X_1 X_2 \dots X_n$

Parse Tree (Example)

Parse tree of the string $9 - 5 + 2$ using grammar G



Yield of the parse tree: the sequence of leafs (left to right)

Parsing: the process of finding a parse tree for a given string

Language: the set of strings that can be generated by some parse tree

Ambiguity

Consider the following context-free grammar:

$$G' = (\{string\}, \{+, -, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}, string, P)$$


with productions P

$$string \rightarrow string + string \mid string - string \mid 0 \mid 1 \mid \dots \mid 9$$

This grammar is ambiguous, because more than one parse tree generates the string $9 - 5 + 2$

Ambiguity (Example)

Parse trees of the string $9 - 5 + 2$ using grammar G'



Associativity of Operators

By convention

$$\left. \begin{array}{l} 9 + 5 + 2 = (9 + 5) + 2 \\ 9 - 5 - 2 = (9 - 5) - 2 \end{array} \right\} \text{left associative}$$

In most programming languages:

$+$, $-$, $*$, $/$ are left associative

$**$, $=$ are right associative:

$$\begin{array}{l} a ** b ** c = a ** (b ** c) \\ a = b = c = a = (b = c) \end{array}$$

Precedence of Operators

Consider: $9 + 5 * 2$

Is this $(9 + 5) * 2$ or $9 + (5 * 2)$?

Associativity does not resolve this

Precedence of operators: $\begin{array}{cc} + & - \\ * & / \end{array} \downarrow$ increasing
precedence

A grammar for arithmetic expressions: ...

Example:

$$9 + 5 * 2 * 3 + 1 + 4 * 7$$

Precedence of Operators

Consider: $9 + 5 * 2$

Is this $(9 + 5) * 2$ or $9 + (5 * 2)$?

Associativity does not resolve this

Precedence of operators: $\begin{array}{cc} + & - \\ * & / \end{array} \downarrow$ increasing
precedence

A grammar for arithmetic expressions:

$$\begin{aligned} \textit{expr} &\rightarrow \textit{expr} + \textit{term} \mid \textit{expr} - \textit{term} \mid \textit{term} \\ \textit{term} &\rightarrow \textit{term} * \textit{factor} \mid \textit{term} / \textit{factor} \mid \textit{factor} \\ \textit{factor} &\rightarrow \textit{digit} \mid (\textit{expr}) \\ \textit{digit} &\rightarrow 0 \mid 1 \mid \dots \mid 9 \end{aligned}$$

Parse tree for $9 + 5 * 2 \dots$

2.3 Syntax-Directed Translation

Using the syntactic structure of the language to generate output corresponding to some input

Two techniques:

- Syntax-directed definition
- Translation scheme

Example: translation of infix notation to postfix notation

infix	postfix
$(9 - 5) + 2$	$95 - 2+$
$9 - (5 + 2)$	$952 + -$

What is $952 + -3*$?

Syntax-Directed Translation

Using the syntactic structure of the language to generate output corresponding to some input

Two variants:

- Syntax-directed definition
- Translation scheme

Example: translation of infix notation to postfix notation

Simple infix expressions generated by

$$\begin{aligned} \textit{expr} &\rightarrow \textit{expr}_1 + \textit{term} \mid \textit{expr}_1 - \textit{term} \mid \textit{term} \\ \textit{term} &\rightarrow 0 \mid 1 \mid \dots \mid 9 \end{aligned}$$

Syntax-Directed Definition (Example)

Production	Semantic rule
$expr \rightarrow expr_1 + term$	$expr.t = expr_1.t \parallel term.t \parallel '+'$
$expr \rightarrow expr_1 - term$	$expr.t = expr_1.t \parallel term.t \parallel '-'$
$expr \rightarrow term$	$expr.t = term.t$
$term \rightarrow 0$	$term.t = '0'$
$term \rightarrow 1$	$term.t = '1'$
...	...
$term \rightarrow 9$	$term.t = '9'$

Result: annotated parse tree

Example: $9 - 5 + 2$

Syntax-Directed Definition

- Uses a context-free grammar to specify the syntactic structure of the language
- Associates a set of *attributes* with (non)terminals
- Associates with each production a set of *semantic rules* for computing values for the attributes

In example, attributes contain the translated form of the input after the computations are completed
(postfix notation corresponding to subtree)

Synthesized and Inherited Attributes

An attribute is said to be . . .

- **synthesized** if its value at a parse tree node N is determined from attribute values at the children of N (and at N itself)
- **inherited** if its value at a parse tree node N is determined from attribute values at the parent of N (and at N itself and its siblings)

We (mainly) consider synthesized attributes

2.3.4 Tree Traversals

- A syntax-directed definition does not impose an evaluation order of the attributes on a parse tree
- Different orders might be suitable
- *Tree traversal*: a specific order to visit the nodes of a tree (always starting from the root node)
- Depth-first traversal
 - Start from root
 - Recursively visit children (in any order)
 - Hence, visit nodes far away from the root as quickly as it can (DF)

A Possible DF Traversal

Postorder traversal

```
procedure visit (node N)
{
  for (each child C of N, from left to right)
  { visit (C);
  }
  evaluate semantic rules at node N;
}
```

Can be used to determine synthesized attributes / annotated parse tree

2.3.5 Translation Scheme

A translation scheme is a context-free grammar with semantic actions embedded in the bodies of the productions

Example

$$expr \rightarrow expr_1 + term \mid expr_1 - term \mid term$$
$$term \rightarrow 0 \mid 1 \mid \dots \mid 9$$

Translation Scheme (Example)

$$\begin{aligned} \text{expr} &\rightarrow \text{expr}_1 + \text{term} \{\text{print('+'})\} \\ \text{expr} &\rightarrow \text{expr}_1 - \text{term} \{\text{print('-')} \} \\ \text{expr} &\rightarrow \text{term} \\ \text{term} &\rightarrow 0 \{\text{print('0')} \} \\ \text{term} &\rightarrow 1 \{\text{print('1')} \} \\ &\dots \quad \dots \\ \text{term} &\rightarrow 9 \{\text{print('9')} \} \end{aligned}$$

Example: parse tree for $9 - 5 + 2 \dots$

Implementation requires postorder traversal (**LRW**)

Translations Scheme


Different grammar for same expressions:

$$rest \rightarrow +term rest_1$$

With semantic action:

$$rest \rightarrow +term \{print('+')\} rest_1$$

Corresponding effect on parse tree:



2.4 Parsing

- Process of determining if a string of tokens can be generated by a grammar
- For any context-free grammar, there is a parser that takes at most $\mathcal{O}(n^3)$ time to parse a string of n tokens
- Linear algorithms sufficient for parsing programming languages
- Two methods of parsing:
 - **Top-down** constructs parse tree from root to leaves
 - **Bottom-up** constructs parse tree from leaves to root

Cf. top-down PDA and bottom-up PDA in FI2

Compilerconstructie

college 1
Overview

Chapters for reading: 1.1, 1.2, 2.1-2.3, 2.5