

Compilerconstructie

najaar 2015

<http://www.liacs.leidenuniv.nl/~vlietrvan1/coco/>

Rudy van Vliet

kamer 124 Snellius, tel. 071-527 5777
rvvliet(at)liacs(dot)nl

college 6, woensdag 28 oktober 2015

Intermediate Code Generation 2

Today

- Translation of control flow
 - Top-down passing of labels (inherited attributes)
 - Backpatching (synthesized attributes)
- Translation of switch-statements

6.6 Control Flow

- Boolean expressions used to

1. Alter flow of control: **if** (E) S

2. Compute logical values, cf. arithmetic expressions

- Generated by

$$B \rightarrow B || B \mid B \& \& B \mid !B \mid (B) \mid E \text{ rel } E \mid \text{true} \mid \text{false}$$

- In $B_1 || B_2$, if B_1 is true, then expression is true
In $B_1 \& \& B_2$, if ...

6.6.2 Short-Circuit Code

or jumping code

Boolean operators ||, && and ! translate into jumps

Example

```
if ( x < 100 || x > 200 && x!=y ) x = 0;
```

Precedence: || < && < !

```
if x < 100 goto L2
iffalse x > 200 goto L1
iffalse x != y goto L1
L2: x = 0
L1:
```

6.6.3 Flow-of-Control Statements

Translation using

- synthesized attributes $B.code$ and $S.code$
- inherited attributes (labels) $B.true$, $B.false$ and $S.next$

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow S_1S_2$	

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow S_1 S_2$	$S_1.next = newlabel()$ $S_2.next = S.next$ $S.code = S_1.code \parallel label(S_1.next) \parallel S_2.code$
$S \rightarrow \mathbf{if} (B) S_1$	

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow S_1 S_2$	$S_1.next = newlabel()$ $S_2.next = S.next$ $S.code = S_1.code \parallel label(S_1.next) \parallel S_2.code$
$S \rightarrow \mathbf{if} (B) S_1$	$B.true = newlabel()$ $B.false = S_1.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code$
$S \rightarrow \mathbf{if} (B) S_1 \mathbf{else} S_2$	



Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow S_1 S_2$	$S_1.next = newlabel()$ $S_2.next = S.next$ $S.code = S_1.code \parallel label(S_1.next) \parallel S_2.code$
$S \rightarrow \mathbf{if} (B) S_1$	$B.true = newlabel()$ $B.false = S_1.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code$
$S \rightarrow \mathbf{if} (B) S_1 \mathbf{else} S_2$	$B.true = newlabel()$ $B.false = newlabel()$ $S_1.next = S_2.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code \parallel gen('goto' S.next) \parallel label(B.false) \parallel S_2.code$
$S \rightarrow \mathbf{while} (B) S_1$	

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow S_1 S_2$	$S_1.next = newlabel()$ $S_2.next = S.next$ $S.code = S_1.code \parallel label(S_1.next) \parallel S_2.code$
$S \rightarrow \text{if } (B) S_1$	$B.true = newlabel()$ $B.false = S_1.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code$
$S \rightarrow \text{if } (B) S_1 \text{ else } S_2$	$B.true = newlabel()$ $B.false = newlabel()$ $S_1.next = S_2.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code$ $\quad \parallel \text{gen('goto' } S.next) \parallel label(B.false) \parallel S_2.code$
$S \rightarrow \text{while } (B) S_1$	$begin = newlabel()$ $B.true = newlabel()$ $B.false = S.next$ $S_1.next = begin$ $S.code = label(begin) \parallel B.code \parallel label(B.true)$ $\quad \parallel S_1.code \parallel \text{gen('goto' } begin)$

6.6.3 Flow-of-Control Statements

$$S \rightarrow \mathbf{if} (B) S_1$$
$$S \rightarrow \mathbf{if} (B) S_1 \mathbf{else} S_2$$
$$S \rightarrow \mathbf{while} (B) S_1$$


Syntax-Directed Definition

Production	Semantic Rules
$B \rightarrow E_1 \text{ rel } E_2$	

Syntax-Directed Definition

Production	Semantic Rules
$B \rightarrow E_1 \text{ rel } E_2$	$B.\text{code} = E_1.\text{code} \parallel E_2.\text{code}$ $\parallel \text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto' } B.\text{true})$ $\parallel \text{gen('goto' } B.\text{false})$
$B \rightarrow B_1 \mid B_2$	

Syntax-Directed Definition

Production	Semantic Rules
$B \rightarrow E_1 \text{ rel } E_2$	$B.\text{code} = E_1.\text{code} \parallel E_2.\text{code}$ $\parallel \text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto' } B.\text{true})$ $\parallel \text{gen('goto' } B.\text{false})$
$B \rightarrow B_1 \mid B_2$	$B_1.\text{true} = B.\text{true}$ $B_1.\text{false} = \text{newlabel}()$ $B_2.\text{true} = B.\text{true}$ $B_2.\text{false} = B.\text{false}$
$B \rightarrow B_1 \&& B_2$	$B.\text{code} = B_1.\text{code} \parallel \text{label}(B_1.\text{false}) \parallel B_2.\text{code}$ $B_1.\text{true} = \text{newlabel}()$ $B_1.\text{false} = B.\text{false}$ $B_2.\text{true} = B.\text{true}$ $B_2.\text{false} = B.\text{false}$ $B.\text{code} = B_1.\text{code} \parallel \text{label}(B_1.\text{true}) \parallel B_2.\text{code}$

Syntax-Directed Definition

Production	Semantic Rules
$P \rightarrow S$	$S.next = newlabel()$ $P.code = S.code \parallel label(S.next)$
$S \rightarrow \text{if } (B) S_1$	$B.true = newlabel()$ $B.false = S_1.next = S.next$ $S.code = B.code \parallel label(B.true) \parallel S_1.code$
$B \rightarrow B_1 \mid B_2$	$B_1.true = B.true$ $B_1.false = newlabel()$ $B_2.true = B.true$ $B_2.false = B.false$ $B.code = B_1.code \parallel label(B_1.false) \parallel B_2.code$
$B_1 \rightarrow E_1 \text{ rel } E_2$	$B_1.code = E_1.code \parallel E_2.code$ $\parallel \text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto' } B_1.\text{true)}$ $\parallel \text{gen('goto' } B_1.\text{false)}$
$B_2 \rightarrow B_3 \&& B_4$	$B_3.true = newlabel()$ $B_3.false = B_2.false$ $B_4.true = B_2.true$ $B_4.false = B_2.false$ $B_2.code = B_3.code \parallel label(B_3.true) \parallel B_4.code$

Example: if (x < 100 || x > 200 && x != y) x = 0;

6.6.5 Avoiding Redundant Gotos

```
    if x < 100 goto L2
    goto L3
L3:   if x > 200 goto L4
        goto L1
L4:   if x != y goto L2
        goto L1
L2:   x = 0
L1:
```

Versus

```
    if x < 100 goto L2
    ifFalse x > 200 goto L1
    ifFalse x != y goto L1
L2:   x = 0
L1:
```

6.7 Backpatching

- Code generation problem:
 - Labels (addresses) that control must go to may not be known at the time that jump statements are generated
- One solution:
 - Separate pass to bind labels to addresses
- Other solution: backpatching
 - Generate jump statements with empty target
 - Add such statements to a list
 - Fill in labels when proper label is determined

6.7.1 One-Pass Code Generation Using Backpatching

- **Synthesized** attributes $B.\text{truelist}$, $B.\text{falselist}$, $S.\text{nextlist}$ containing lists of jumps
- Three functions
 1. $\text{makelist}(i)$ creates new list containing index i
 2. $\text{merge}(p_1, p_2)$ concatenates lists pointed to by p_1 and p_2
 3. $\text{backpatch}(p, i)$ inserts i as target label for each instruction on list pointed to by p

Grammars for Backpatching

- Grammar for boolean expressions:

$$\begin{aligned} B &\rightarrow B_1 \mid MB_2 \mid B_1 \&\& MB_2 \mid !B_1 \mid (B_1) \\ &\quad \mid E_1 \text{ rel } E_2 \mid \text{true} \mid \text{false} \\ M &\rightarrow \epsilon \end{aligned}$$

M is marker nonterminal

- Grammar for flow-of-control statements
(marker nonterminals omitted for readability)

$$\begin{aligned} S &\rightarrow \text{if } (B) \ S_1 \mid \text{if } (B) \ S_1 \text{ else } S_2 \\ &\quad \mid \text{while } (B) \ S_1 \mid \{L\} \mid \text{id = num;} \\ L &\rightarrow L_1 S \mid S \end{aligned}$$

Translation Scheme for Backpatching

$B \rightarrow E_1 \text{ rel } E_2$

Translation Scheme for Backpatching

```
 $B \rightarrow E_1 \text{ rel } E_2 \quad \{ \quad B.\text{truelist} = \text{makelist}(nextinstr);$ 
 $\quad \quad \quad B.\text{falselist} = \text{makelist}(nextinstr + 1);$ 
 $\quad \quad \quad \text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto } '_{});$ 
 $\quad \quad \quad \text{gen('goto } '_{}); \}$ 
 $M \rightarrow \epsilon \quad \quad \quad \{ \quad M.\text{instr} = nextinstr; \}$ 
 $B \rightarrow B_1 || MB_2$ 
```

Translation Scheme for Backpatching

$B \rightarrow E_1 \text{ rel } E_2$	{ $B.\text{truelist} = \text{makelist}(\text{nextinstr});$ $B.\text{falselist} = \text{makelist}(\text{nextinstr} + 1);$ $\text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto } '_{});$ $\text{gen('goto } '_{});$ }
$M \rightarrow \epsilon$	{ $M.\text{instr} = \text{nextinstr};$ }
$B \rightarrow B_1 MB_2$	{ $\text{backpatch}(B_1.\text{falselist}, M.\text{instr});$ $B.\text{truelist} = \text{merge}(B_1.\text{truelist}, B_2.\text{truelist});$ $B.\text{falselist} = B_2.\text{falselist};$ }
$B \rightarrow B_1 \&& MB_2$	{ $\text{backpatch}(B_1.\text{truelist}, M.\text{instr});$ $B.\text{truelist} = B_2.\text{truelist};$ $B.\text{falselist} = \text{merge}(B_1.\text{falselist}, B_2.\text{falselist});$ }
$S \rightarrow \text{id} = \text{num};$	

Translation Scheme for Backpatching

$B \rightarrow E_1 \text{ rel } E_2$	{ <i>B.truelist = makelist(nextinstr);</i> <i>B.falselist = makelist(nextinstr + 1);</i> <i>gen('if' E₁.addr rel.op E₂.addr 'goto _');</i> <i>gen('goto _');</i> }
$M \rightarrow \epsilon$	{ <i>M.instr = nextinstr;</i> }
$B \rightarrow B_1 MB_2$	{ <i>backpatch(B₁.falselist, M.instr);</i> <i>B.truelist = merge(B₁.truelist, B₂.truelist);</i> <i>B.falselist = B₂.falselist;</i> }
$B \rightarrow B_1 \&& MB_2$	{ <i>backpatch(B₁.truelist, M.instr);</i> <i>B.truelist = B₂.truelist;</i> <i>B.falselist = merge(B₁.falselist, B₂.falselist);</i> }
$S \rightarrow \text{id} = \text{num};$	{ <i>S.nextlist = null;</i> <i>gen(id.addr '=' num.val);</i> }
$S \rightarrow \text{if } (B) MS_1$	

Translation Scheme for Backpatching

$B \rightarrow E_1 \text{ rel } E_2$	{ $B.\text{truelist} = \text{makelist}(\text{nextinstr});$ $B.\text{falselist} = \text{makelist}(\text{nextinstr} + 1);$ $\text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto '_});$ $\text{gen('goto '_);}}$
$M \rightarrow \epsilon$	{ $M.\text{instr} = \text{nextinstr};}$
$B \rightarrow B_1 MB_2$	{ $\text{backpatch}(B_1.\text{falselist}, M.\text{instr});$ $B.\text{truelist} = \text{merge}(B_1.\text{truelist}, B_2.\text{truelist});$ $B.\text{falselist} = B_2.\text{falselist};}$
$B \rightarrow B_1 \&& MB_2$	{ $\text{backpatch}(B_1.\text{truelist}, M.\text{instr});$ $B.\text{truelist} = B_2.\text{truelist};$ $B.\text{falselist} = \text{merge}(B_1.\text{falselist}, B_2.\text{falselist});}$
$S \rightarrow \text{id} = \text{num};$	{ $S.\text{nextlist} = \text{null};$ $\text{gen(id.addr ' = ' num.val);}}$
$S \rightarrow \text{if } (B) MS_1$	{ $\text{backpatch}(B.\text{truelist}, M.\text{instr});$ $S.\text{nextlist} = \text{merge}(B.\text{falselist}, S_1.\text{nextlist});}$

Translation Scheme for Backpatching

$S \rightarrow \mathbf{if} (B) MS_1$	{ backpatch($B.\text{truelist}$, $M.\text{instr}$); $S.\text{nextlist} = \text{merge}(B.\text{falselist}, S_1.\text{nextlist})$; }
$S_1 \rightarrow \mathbf{id} = \mathbf{num};$	{ $S_1.\text{nextlist} = \mathbf{null}$; $\text{gen}(\mathbf{id}.addr' = \mathbf{num}.val)$; }
$B \rightarrow B_1 M_1 B_2$	{ backpatch($B_1.\text{falselist}$, $M_1.\text{instr}$); $B.\text{truelist} = \text{merge}(B_1.\text{truelist}, B_2.\text{truelist})$; $B.\text{falselist} = B_2.\text{falselist}$; }
$B_2 \rightarrow B_3 \& \& M_2 B_4$	{ backpatch($B_3.\text{truelist}$, $M_2.\text{instr}$); $B_2.\text{truelist} = B_4.\text{truelist}$; $B_2.\text{falselist} = \text{merge}(B_3.\text{falselist}, B_4.\text{falselist})$; }
$B \rightarrow E_1 \mathbf{rel} E_2$	{ $B.\text{truelist} = \text{makelist}(nextinstr)$; $B.\text{falselist} = \text{makelist}(nextinstr + 1)$; $\text{gen}('if' E_1.\text{addr} \mathbf{rel}.op E_2.\text{addr} 'goto '_')$; $\text{gen}('goto '_')$; }
$M \rightarrow \epsilon$	{ $M.\text{instr} = nextinstr$; }

Example: if (x < 100 || x > 200 && x != y) x = 0;

Exercises 1 and 2

Translation Scheme for Backpatching

For Exercise 1

(Boolean Expressions)

$B \rightarrow B_1 \&\& M_1 B_2 \quad \{ \quad \text{backpatch}(B_1.\text{truelist}, M_1.\text{instr});$
 $\quad B.\text{truelist} = B_2.\text{truelist};$
 $\quad B.\text{falselist} = \text{merge}(B_1.\text{falselist}, B_2.\text{falselist}); \}$

$B_2 \rightarrow (B_3) \quad \{ \quad B_2.\text{truelist} = B_3.\text{truelist};$
 $\quad B_2.\text{falselist} = B_3.\text{falselist}; \}$

$B_3 \rightarrow B_4 || M_2 B_5 \quad \{ \quad \text{backpatch}(B_4.\text{falselist}, M_2.\text{instr});$
 $\quad B_3.\text{truelist} = \text{merge}(B_4.\text{truelist}, B_5.\text{truelist});$
 $\quad B_3.\text{falselist} = B_5.\text{falselist}; \}$

$B \rightarrow E_1 \text{ rel } E_2 \quad \{ \quad B.\text{truelist} = \text{makelist}(\text{nextinstr});$
 $\quad B.\text{falselist} = \text{makelist}(\text{nextinstr} + 1);$
 $\quad \text{gen('if' } E_1.\text{addr rel.op } E_2.\text{addr 'goto '_});$
 $\quad \text{gen('goto '_}); \}$

$M \rightarrow \epsilon \quad \{ \quad M.\text{instr} = \text{nextinstr}; \}$

Translation Scheme for Backpatching

For Exercise 2

(Flow-of-Control Statements)

$S \rightarrow \{L\}$	{ $S.\text{nextlist} = L.\text{nextlist};$ }
$L \rightarrow L_1 M_3 S_1$	{ $\text{backpatch}(L_1.\text{nextlist}, M_3.\text{instr});$ $L.\text{nextlist} = S_1.\text{nextlist};$ }
$L_1 \rightarrow S_2$	{ $L_1.\text{nextlist} = S_2.\text{nextlist};$ }
$S_2 \rightarrow \mathbf{if} (B) M_4 S_3$	{ $\text{backpatch}(B.\text{truelist}, M_4.\text{instr});$ $S_2.\text{nextlist} = \text{merge}(B.\text{falselist}, S_3.\text{nextlist});$ }
$S_3 \rightarrow \mathbf{id} = \mathbf{num};$	{ $S_3.\text{nextlist} = \mathbf{null};$ $\text{gen}(\mathbf{id}.\text{addr} \ '=\mathbf{num}.\text{val});$ }
$M \rightarrow \epsilon$	{ $M.\text{instr} = \text{nextinstr};$ }

6.8 Switch-Statements

```
switch ( E )  
{      case V1: S1  
      case V2: S2  
      . . .  
      case Vn-1: Sn-1  
      default Sn  
}
```

Translation:

1. Evaluate expression *E*
2. Find value *V_j* in list of cases that matches value of *E*
3. Execute statement *S_j*

Translation of Switch-Statement

```
        code to evaluate E into t
        goto test
L1:   code for S1
        goto next
L2:   code for S2
        goto next
        ...
L_{n-1}: code for S_{n-1}
        goto next
L_n:   code for S_n
        goto next
test: if t = V1 goto L1
      if t = V2 goto L2
      ...
      if t = V_{n-1} goto L_{n-1}
      goto L_n
next:
```

Vervolgens. . .

- Nu: introductie opdracht 3
- Woensdag 4 november, 11:15-13:00: practicum
- Inleveren 17 november

Compilerconstructie

college 6
Intermediate Code Generation 2

Chapters for reading:
6.6–top-of-page-406,
6.7–6.7.3, 6.8