

# Fundamentele Informatica 3

voorjaar 2014

<http://www.liacs.nl/home/rvv11et/f13/>

**Rudy van Vliet**

kamer 124 Snellius, tel. 071-527 5777  
rvvliet(at)liacs(dot)nl

college 11, 22 april 2014

- 9. Undecidable Problems
- 9.5. Undecidable Problems Involving Context-Free Languages

1

A slide from lecture 9:

**Definition 9.6.** Reducing One Decision Problem to Another, and Reducing One Language to Another

Suppose  $P_1$  and  $P_2$  are decision problems. We say  $P_1$  is reducible to  $P_2$  ( $P_1 \leq P_2$ )

- if there is an algorithm
- that finds, for an arbitrary instance  $I$  of  $P_1$ , an instance  $F(I)$  of  $P_2$ ,
- such that

for every  $I$  the answers for the two instances are the same, or  $I$  is a yes-instance of  $P_1$  if and only if  $F(I)$  is a yes-instance of  $P_2$ .

2

A slide from lecture 9:

**Theorem 9.7.** Suppose  $L_1 \subseteq \Sigma_1^*$ ,  $L_2 \subseteq \Sigma_2^*$ , and  $L_1 \leq L_2$ . If  $L_2$  is recursive, then  $L_1$  is recursive.

Suppose  $P_1$  and  $P_2$  are decision problems, and  $P_1 \leq P_2$ . If  $P_2$  is decidable, then  $P_1$  is decidable.

**Proof...**

3

A slide from lecture 10:

Instance:

10	01	0	100	1
101	100	10	0	010

Match:

10	1	01	0	100	100	0	100
101	010	100	10	0	0	10	0

5

A slide from lecture 10:

**Theorem 9.17.**

Post's correspondence problem is undecidable.

7

A slide from lecture 10:

## 9.4. Post's Correspondence Problem

Instance:

10	01	0	100	1
101	100	10	0	010

4

A slide from lecture 10:

**Definition 9.14.** Post's Correspondence Problem

An instance of Post's correspondence problem (PCP) is a set of pairs, where  $n \geq 1$  and the  $\alpha_i$ 's and  $\beta_i$ 's are all nonnull strings over an alphabet  $\Sigma$ .

The decision problem is this:

Given an instance of this type, do there exist a positive integer  $k$  and a sequence of integers  $i_1, i_2, \dots, i_k$ , with each  $i_j$  satisfying  $1 \leq i_j \leq n$ , satisfying

$$\alpha_{i_1} \alpha_{i_2} \dots \alpha_{i_k} = \beta_{i_1} \beta_{i_2} \dots \beta_{i_k} \quad ?$$

$i_1, i_2, \dots, i_k$  need not all be distinct.

6

## 9.5. Undecidable Problems Involving Context-Free Languages

8

For an instance

$$\{(\alpha_1, \beta_1), (\alpha_2, \beta_2), \dots, (\alpha_n, \beta_n)\}$$

of PCP, let...

CFG  $G_\alpha$  be defined by productions

$$S_\alpha \rightarrow \alpha_i S_k \alpha_i \mid \alpha_i \alpha_i \quad (1 \leq i \leq n)$$

CFG  $G_\beta$  be defined by productions

$$S_\beta \rightarrow \beta_i S_j \beta_i \mid \beta_i \beta_i \quad (1 \leq i \leq n)$$

9

**Example.**

Let  $I$  be the following instance of PCP:

10	01	0	100	1
101	100	10	0	010

$G_\alpha$  and  $G_\beta$ ...

10

**Theorem 9.20.**

These two problems are undecidable:

1. *CFGNonEmptyIntersection:*  
Given two CFGs  $G_1$  and  $G_2$ , is  $L(G_1) \cap L(G_2)$  nonempty?
2. *IsAmbiguous:*  
Given a CFG  $G$ , is  $G$  ambiguous?

**Proof...**

11

Let  $T$  be TM, let  $x$  be string accepted by  $T$ , and let

$$z_0 \vdash z_1 \vdash z_2 \vdash z_3 \dots \vdash z_n$$

be 'successful computation' of  $T$  for  $x$ ,

i.e.,  $z_0 = q_0 \Delta^x$   
and  $z_n$  is accepting configuration.

Successive configurations  $z_i$  and  $z_{i+1}$  are almost identical:  
hence  $z_i \# z_{i+1}$  cannot be described by CFG,  
cf.  $XX = \{xx \mid x \in \{a, b\}^*\}$ .

$z_i \# z_{i+1}^R$  is almost a palindrome, and can be described by CFG.

13

**Definition 9.21.** Valid Computations of a TM

Let  $T = (Q, \Sigma, \Gamma, q_0, \delta)$  be a Turing machine.

A *valid computation* of  $T$  is a string of the form

$$z_0 \# z_1^T \# z_2 \# z_3^T \dots \# z_n \#$$

if  $n$  is even, or

$$z_0 \# z_1^T \# z_2 \# z_3^T \dots \# z_n^T \#$$

if  $n$  is odd,  
where in either case,  $\#$  is a symbol not in  $\Gamma$ ,  
and the strings  $z_i$  represent successive configurations of  $T$  on  
some input string  $x$ , starting with the initial configuration  $z_0$  and  
ending with an accepting configuration.

The set of valid computations of  $T$  will be denoted by  $C_T$ .

15

Let  $T$  be TM, let  $x$  be string accepted by  $T$ , and let

$$z_0 \vdash z_1 \vdash z_2 \vdash z_3 \dots \vdash z_n$$

be 'successful computation' of  $T$  for  $x$ ,  
i.e.,  $z_0 = q_0 \Delta^x$   
and  $z_n$  is accepting configuration.

**Proof...**

12

**Lemma.**

The language

$$L_1 = \{z \# (z')^r \# \mid z \text{ and } z' \text{ are config's of } T \text{ for which } z \vdash z'\}$$

is context-free.

**Proof...**

14

**Theorem 9.22.**

For a TM  $T = (Q, \Sigma, \Gamma, q_0, \delta)$ ,

- the set  $C_T$  of valid computations of  $T$  is the intersection of two context-free languages,
- and its complement  $C_T^c$  is a context-free language.

**Proof...**

16

**Theorem 9.22.**

For a TM  $T = (Q, \Sigma, \Gamma, q_0, \delta)$ ,

- the set  $C_T$  of valid computations of  $T$  is the intersection of two context-free languages,
- and its complement  $C_T^c$  is a context-free language.

**Proof.** Let

- $L_1 = \{z\#(z')^r\#\mid z \text{ and } z' \text{ are configs of } T \text{ for which } z \vdash z'\}$
- $L_2 = \{z^r\#z'\#\mid z \text{ and } z' \text{ are configs of } T \text{ for which } z \vdash z'\}$
- $I = \{z\#\mid z \text{ is initial configuration of } T\}$
- $A = \{z\#\#\mid z \text{ is accepting configuration of } T\}$
- $A_1 = \{z^r\#\#\mid z \text{ is accepting configuration of } T\}$

17

If  $x \in C_T^c$  (i.e.,  $x \notin C_T$ ), then...

- Either,  $x$  does not end with  $\#$
- Otherwise, let  $x = z_0\#z_1\#\dots\#z_k\#$
- Or, for some even  $i$ ,  $z_i$  is not configuration of  $T$
- Or, for some odd  $i$ ,  $z_i^r$  is not configuration of  $T$
- Or  $z_0$  is not initial configuration of  $T$
- Or  $z_k$  is neither accepting configuration, nor the reverse of one
- Or, for some even  $i$ ,  $z_i \neq z_{i+1}^r$
- Or, for some odd  $i$ ,  $z_i^r \neq z_{i+1}$

Hence,  $C_T^c$  is union of seven context-free languages, for each of which we can algorithmically construct a CFG

21

**Theorem 9.23.** The decision problem

CFGGeneratesAll: Given a CFG  $G$  with terminal alphabet  $\Sigma$ , is  $L(G) = \Sigma^*$ ?

is undecidable.

**Proof.**

Let

AcceptsNothing: Given a TM  $T$ , is  $L(T) = \emptyset$ ?

Prove that  $\text{AcceptsNothing} \leq \text{CFGGeneratesAll}$ ...

Study this result yourself.

23

$$C_T = L_3 \cap L_4$$

where

$$L_3 = IL_2^*(A_1 \cup \{A\})$$

$$L_4 = L_1^*(A \cup \{A\})$$

for each of which we can algorithmically construct a CFG

18

If  $x \in C_T^c$  (i.e.,  $x \notin C_T$ ), then

- Either,  $x$  does not end with  $\#$
- Otherwise, let  $x = z_0\#z_1\#\dots\#z_k\#$
- Or, for some even  $i$ ,  $z_i$  is not configuration of  $T$
- Or, for some odd  $i$ ,  $z_i^r$  is not configuration of  $T$
- Or  $z_0$  is not initial configuration of  $T$
- Or  $z_k$  is neither accepting configuration, nor the reverse of one
- Or, for some even  $i$ ,  $z_i \neq z_{i+1}^r$
- Or, for some odd  $i$ ,  $z_i^r \neq z_{i+1}$

20

**Corollary.**

The decision problem

CFGNonEmptyIntersection: Given two CFGs  $G_1$  and  $G_2$ , is  $L(G_1) \cap L(G_2)$  nonempty?

is undecidable (cf. Theorem 9.20(1)).

**Proof.**


Let AcceptsSomething: Given a TM  $T$ , is  $L(T) \neq \emptyset$ ?

Prove that  $\text{AcceptsSomething} \leq \text{CFGNonEmptyIntersection}$

Study this result yourself.

22

**Undecidable Decision Problems** (we have discussed)



24