

Fundamentele Informatica 3

voorjaar 2015

<http://www.liacs.leidenuniv.nl/~vlietrvan1/fi3/>

Rudy van Vliet

kamer 124 Snellius, tel. 071-527 5777

rvvliet(at)liacs(dot)nl

college 9, 7 april 2015

9. Undecidable Problems

9.1. A Language That Can't Be Accepted,
and a Problem That Can't Be Decided

9.2. Reductions and the Halting Problem

9.3. More Decision Problems Involving Turing Machines

A slide from lecture 8:

Definition 9.1. The Languages *NSA* and *SA*

Let

$$NSA = \{e(T) \mid T \text{ is a TM, and } e(T) \notin L(T)\}$$

$$SA = \{e(T) \mid T \text{ is a TM, and } e(T) \in L(T)\}$$

(*NSA* and *SA* are for “non-self-accepting” and “self-accepting.”)

A slide from lecture 8:

Theorem 9.2. The language NSA is not recursively enumerable.
The language SA is recursively enumerable but not recursive.

Proof...

Decision problem: problem for which the answer is 'yes' or 'no':

Given . . . , is it true that . . . ?

yes-instances of a decision problem:

instances for which the answer is 'yes'

no-instances of a decision problem:

instances for which the answer is 'no'

Decision problems

Given an undirected graph $G = (V, E)$,
does G contain a Hamiltonian path?

Given a list of integers x_1, x_2, \dots, x_n ,
is the list sorted?

Self-Accepting: Given a TM T , does T accept the string $e(T)$?

Three languages corresponding to this problem:

1. *SA*: strings representing yes-instances
2. *NSA*: strings representing no-instances
3. ...

Self-Accepting: Given a TM T , does T accept the string $e(T)$?

Three languages corresponding to this problem:

1. SA : strings representing yes-instances
2. NSA : strings representing no-instances
3. E' : strings not representing instances

For general decision problem P ,
an encoding e of instances I as strings $e(I)$ over alphabet Σ
is called *reasonable*, if

1. there is algorithm to decide if string over Σ is encoding $e(I)$
2. e is injective
3. string $e(I)$ can be decoded

A slide from lecture 4:

Some Crucial features of any encoding function e :

1. It should be possible to decide algorithmically, for any string $w \in \{0, 1\}^*$, whether w is a legitimate value of e .
2. A string w should represent at most one Turing machine **with a given input alphabet Σ** , or at most one string z .
3. If $w = e(T)$ or $w = e(z)$, there should be an algorithm for *decoding* w .

For general decision problem P and reasonable encoding e ,

$$Y(P) = \{e(I) \mid I \text{ is yes-instance of } P\}$$

$$N(P) = \{e(I) \mid I \text{ is no-instance of } P\}$$

$$E(P) = Y(P) \cup N(P)$$

$E(P)$ must be recursive

Definition 9.3. Decidable Problems

If P is a decision problem, and e is a reasonable encoding of instances of P over the alphabet Σ , we say that P is *decidable* if $Y(P) = \{e(I) \mid I \text{ is a yes-instance of } P\}$ is a recursive language.

Theorem 9.4. The decision problem *Self-Accepting* is undecidable.

Proof...

For every decision problem, there is *complementary* problem P' , obtained by changing 'true' to 'false' in statement.

Non-Self-Accepting:

Given a TM T , does T fail to accept $e(T)$?

Theorem 9.5. For every decision problem P , P is decidable if and only if the complementary problem P' is decidable.

Proof...

SA vs. NSA

Self-Accepting vs. Non-Self-Accepting

9.2. Reductions and the Halting Problem

(Informal) Examples of reductions

1. Recursive algorithms
2. Given NFA M and string x , is $x \in L(M)$?
3. Given FAs M_1 and M_2 , is $L(M_1) \subseteq L(M_2)$?

Theorem 2.15.

Suppose $M_1 = (Q_1, \Sigma, q_1, A_1, \delta_1)$ and $M_2 = (Q_2, \Sigma, q_2, A_2, \delta_2)$ are finite automata accepting L_1 and L_2 , respectively.

Let M be the FA $(Q, \Sigma, q_0, A, \delta)$, where

$$Q = Q_1 \times Q_2$$

$$q_0 = (q_1, q_2)$$

and the transition function δ is defined by the formula

$$\delta((p, q), \sigma) = (\delta_1(p, \sigma), \delta_2(q, \sigma))$$

for every $p \in Q_1$, every $q \in Q_2$, and every $\sigma \in \Sigma$.

Then

1. If $A = \{(p, q) \mid p \in A_1 \text{ or } q \in A_2\}$,
 M accepts the language $L_1 \cup L_2$.
2. If $A = \{(p, q) \mid p \in A_1 \text{ and } q \in A_2\}$,
 M accepts the language $L_1 \cap L_2$.
3. If $A = \{(p, q) \mid p \in A_1 \text{ and } q \notin A_2\}$,
 M accepts the language $L_1 - L_2$.

Definition 9.6. Reducing One Decision Problem to Another, and Reducing One Language to Another

Suppose P_1 and P_2 are decision problems. We say P_1 is reducible to P_2 ($P_1 \leq P_2$)

- if there is an algorithm
- that finds, for an arbitrary instance I of P_1 , an instance $F(I)$ of P_2 ,
- such that
 - for every I the answers for the two instances are the same,
 - or I is a yes-instance of P_1
 - if and only if $F(I)$ is a yes-instance of P_2 .

Definition 9.6. Reducing One Decision Problem to Another, and Reducing One Language to Another (continued)

If L_1 and L_2 are languages over alphabets Σ_1 and Σ_2 , respectively, we say L_1 is reducible to L_2 ($L_1 \leq L_2$)

- if there is a Turing-computable function
- $f : \Sigma_1^* \rightarrow \Sigma_2^*$
- such that for every $x \in \Sigma_1^*$,

$$x \in L_1 \text{ if and only if } f(x) \in L_2$$

Less / more formal definitions.

Theorem 9.7. Suppose $L_1 \subseteq \Sigma_1^*$, $L_2 \subseteq \Sigma_2^*$, and $L_1 \leq L_2$. If L_2 is recursive, then L_1 is recursive.

Suppose P_1 and P_2 are decision problems, and $P_1 \leq P_2$. If P_2 is decidable, then P_1 is decidable.

Proof...

In context of decidability: decision problem $P \approx$ language $Y(P)$

Question

“is instance I of P a yes-instance ?”

is **essentially** the same as

“does string x represent yes-instance of P ?” ,

i.e.,

“is string $x \in Y(P)$?”

Therefore, $P_1 \leq P_2$, if and only if $Y(P_1) \leq Y(P_2)$.

Two more decision problems:

Accepts: Given a TM T and a string w , is $w \in L(T)$?

Halts: Given a TM T and a string w , does T halt on input w ?

Theorem 9.8. Both *Accepts* and *Halts* are undecidable.

Proof.

1. Prove that *Self-Accepting* \leq *Accepts* ...

Theorem 9.8. Both *Accepts* and *Halts* are undecidable.

Proof.

1. Prove that *Self-Accepting* \leq *Accepts* ...
2. Prove that *Accepts* \leq *Halts* ...

Application:

```
n = 4;  
while (n is the sum of two primes)  
    n = n+2;
```

This program loops forever, if and only if Goldbach's conjecture is true.

9.3. More Decision Problems Involving Turing Machines

Accepts: Given a TM T and a string x , is $x \in L(T)$?

Instances are ...

Halts: Given a TM T and a string x , does T halt on input x ?

Instances are ...

Self-Accepting: Given a TM T , does T accept the string $e(T)$?

Instances are ...

Now fix a TM T :

T-Accepts: Given a string x , does T accept x ?

Instances are ...

Decidable or undecidable ? (cf. **Exercise 9.7.**)

Exercise 9.7.

As discussed at the beginning of Section 9.3, there is at least one TM T such that the decision problem

“Given w , does T accept w ?”

is unsolvable.

Show that every TM accepting a nonrecursive language has this property.

Theorem 9.9. The following five decision problems are undecidable.

1. *Accepts- Λ* : Given a TM T , is $\Lambda \in L(T)$?

Proof.

1. Prove that *Accepts* \leq *Accepts- Λ* . . .

Reduction from *Accepts* to *Accepts- Λ* .

Instance of *Accepts* is (T_1, x) for TM T_1 and string x .

Instance of *Accepts- Λ* is TM T_2 .

$$T_2 = F(T_1, x) =$$

$$\text{Write}(x) \rightarrow T_1$$

T_2 accepts Λ , if and only if T_1 accepts x .

If we had an algorithm/TM A_2 to solve *Accepts- Λ* , then we would also have an algorithm/TM A_1 to solve *Accepts*, as follows:

A_1 :

Given instance (T_1, x) of *Accepts*,

1. construct $T_2 = F(T_1, x)$;
2. run A_2 on T_2 .

A_1 answers 'yes' for (T_1, x) ,
if and only if A_2 answers 'yes' for T_2 ,
if and only if T_2 accepts Λ ,
if and only if T_1 accepts x .

Theorem 9.9. The following five decision problems are undecidable.

2. *AcceptsEverything*:

Given a TM T with input alphabet Σ , is $L(T) = \Sigma^*$?

Proof.

2. Prove that $\text{Accepts-}\Lambda \leq \text{AcceptsEverything} \dots$

Theorem 9.9. The following five decision problems are undecidable.

3. *Subset*: Given two TMs T_1 and T_2 , is $L(T_1) \subseteq L(T_2)$?

Proof.

3. Prove that *AcceptsEverything* \leq *Subset* ...

Theorem 9.9. The following five decision problems are undecidable.

4. *Equivalent*: Given two TMs T_1 and T_2 , is $L(T_1) = L(T_2)$

Proof.

4. Prove that *Subset* \leq *Equivalent* ...

Theorem 9.9. The following five decision problems are undecidable.

5. *WritesSymbol*:

Given a TM T and a symbol a in the tape alphabet of T , does T ever write a if it starts with an empty tape ?

Proof.

5. Prove that $\text{Accepts-}\Lambda \leq \text{WritesSymbol} \dots$