

## FFT Workshop 2022

March 15<sup>th</sup> 2022

**Due date:** Tuesday March 22<sup>nd</sup> 2022, 23.59h.

### Introduction

This assignments can be made using the programming language and libraries of your choice (e.g. Python, C, MATLAB<sup>®</sup>, etc.; librosa, numpy, etc.).

### Getting started:

This is just an example using *Python 3.8*, *numpy* and *librosa* that calculates the Fourier transform of an audio file and displays its spectrogram. This and many more examples can be found on <https://librosa.org>.

1. Make a virtualenv:

```
virtualenv fft --python=python3.8
source ./fft/bin/activate
```

2. Install some packages in this virtual environment:

```
python3.8 -m pip install jupyter
python3.8 -m pip install matplotlib
python3.8 -m pip install librosa
```

3. Start a Jupyter notebook.

```
jupyter notebook
```

4. Enter and run the following code in the notebook to calculate the Fourier transform of an audio file and display a spectrogram:

```
import numpy as np
import matplotlib.pyplot as plt
import librosa
import librosa.display

y, sr = librosa.load(librosa.ex('trumpet'))
D = librosa.stft(y) # STFT of y
S_db = librosa.amplitude_to_db(np.abs(D), ref=np.max)
plt.figure()
librosa.display.specshow(S_db)
plt.colorbar()
```

## Assignment 1 Feature Vectors

- a) In the introduction we showed how we can compute the Fourier transform of a sound signal. Implement a procedure that takes as input a wav file and gives as output for every part (window) of 512 samples the energy of  $N=8$  frequency bands ( for example: [0Hz,1kHz), [1kHz, 2kHz), ... , [7kHz, 8kHz) ) in the Fourier transformed signal. Calculate these features for the <piano.wav> file which can be found in the <audio\_data.zip> file, i.e., a list of 8-dimensional real-valued vectors results.
- b) These features can be used to calculate the following code ( $C_i$ ) for the piano.wav, where
- $C_i = \mathbf{up}$ , if the current max energy band is of a higher frequency as the previous max energy band
  - $C_i = \mathbf{down}$ , if the current max energy band is of a lower frequency as the previous max energy band
  - $C_i = \mathbf{repeat}$ , otherwise

This codes the signal as a sequence of pitch tendencies, which can be used to recognize melodies. In some respect it resembles the so called Parsons code.

NB You are free to select  $N$  the number of frequency bands and the specific frequency ranges of the  $N$  bands. Justify your choices in the comments of your code.

Submit your coding-routine and your 'up/down/repeat'-code for the <piano.wav> in a single zip file using Brightspace before Tuesday March 22<sup>nd</sup> 2022, 23.59h.