

# Designing a Secure Cloud Architecture: The SeCA Model

*Thijs Baars, Utrecht University, The Netherlands*

*Marco Spruit, Utrecht University, The Netherlands*

---

## ABSTRACT

*Security issues are paramount when considering adoption of any cloud technology. This article proposes the Secure Cloud Architecture (SeCA) model on the basis of data classifications which defines a properly secure cloud architecture by testing the cloud environment on eight attributes. The SeCA model is developed using a literature review and a Delphi study with seventeen experts, consisting of three rounds. The authors integrate the CI3A—an extension on the CIA-triad—to create a basic framework for testing the classification inputted. The data classification is then tested on regional, geo-spatial, delivery, deployment, governance and compliance, network, premise and encryption attributes. After this testing has been executed, a specification for a secure cloud architecture is outputted.*

*Keywords: Ci3a, Cloud Computing, Cloud Security, Delphi Study, Information Security, Information Systems, Secure Cloud Architecture (SeCA)*

---

## INTRODUCTION: IN SEARCH OF A SAFE DELIVERY MODEL

The Cloud is called by some a paradigm-shift in computing (Voas & Zhang, 2009), by others it doesn't even exist (Reuters, 2008). It is in this light that the presented research tries to formulate the complexities of cloud security. This new phenomena called the cloud does exist, however it is not a brand new technology. The cloud has always been here, under the name of "the internet", and the idea of utilizing the internet as a storage and computing power provider isn't new either. In 1993, Eric Schmidt, then CTO

of Sun Microsystems, said in an email "When the network becomes as fast as the processor, the computer hollows out and spreads across the network" (Gilder, 2006). This "the network is the computer" concept is basically what the cloud is all about. Utilizing all the power that makes up the all-encompassing internet for better productivity and scalability. That being said, some still call it the new paradigm of computing. That is because the cloud is a new delivery model, or as Mulholland, Pyke, and Fingar state: "The big deal is that cloud computing is a disruptive *delivery* model. It's an economic, not technological shift!" (Mulholland, Pyke, & Fingar, 2010, p. 24).

DOI: 10.4018/jisp.2012010102

The National Institute for Standards and Technology (NIST) defines cloud computing as: “a model for enabling convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction. This cloud model promotes availability and is composed of five essential characteristics, three service models, and four deployment models” (Mell & Grance, 2010, p. 1). The European Network and Information Security Agency (ENISA) defines the cloud similarly (Hogben & Catteddu, 2009), and these definitions will be used continuously in this paper when referring to the cloud (Figure 1).

The definitions show that ASPs are more or less a part of the Cloud and that Software as a Service (SaaS) is actually a model within a cloud environment. Table 1 explains these characteristics of the cloud.

According to both commercial reports and academic research, security issues are paramount when adopting the cloud (Foster, Zhao, Raicu, & Lu, 2008; Ghinste, 2010; Mowbray & Pearson, 2009), while no clear model exists to determine security issues and solutions. Therefore this paper will provide an overview of the security issues and describe the Secure Cloud Architecture (SeCA) model to determine the security issues one might expect in a certain cloud environment and what solutions might be used to secure those issues. The framework is developed as an answer to the following question:

*Can the Cloud be a safe alternative for the storage and execution of organizational confidential data?*

## **RELATED RESEARCH: TOWARDS SECURE USAGE OF CLOUD TECHNOLOGIES**


Although the Cloud is still in development (Mulholland et al., 2010), it has already caught the attention of the research community.

Its definition (over 20 are known) has been researched in (Vaquero, Rodero-Merino, Carceres, & Lindner, 2008) and is also discussed in Chen, Paxson, and Katz (2010). Vaquero et al. (2008) manage to give an overview of the features a cloud should have and discuss the differences with a computing grid. The NIST definition (Mell & Grance, 2010) which was defined in May of 2009, five months after the publication of Vaquero et al. (2008), is a more open definition, while still preserving the key characteristics of the cloud.

Mulholland et al. (2010) give an overview on Cloud computing and its facets for enterprises in their book, but fail to mention any security related topics. Jericho Forum (2009) has modelled the cloud in order to help users to understand the different facets of the cloud and support a secure use of cloud technologies. It will be discussed in the second-to-last section “SeCA: The Secure Cloud Architecture Model”.

The security of the cloud is an issue that is well in the centre of cloud research. Chen et al., (2010) give an introduction to security issues in the cloud and discuss which issues are specifically new in the cloud and which are issues that are related to traditional forms of computing. Stating that “arguably many of the incidents described as “cloud security” in fact just reflect traditional web application and data-hosting problems [...] such as phishing, downtime, data loss, password weaknesses, and compromised hosts running botnets” (p. 4, internal references removed). They hold that most cloud security issues are not new, but do need new implementations to provide the security wanted. Benson, Sahu, Akella, and Shaikh (2010) discussed security issues from a cloud provider’s support division perspective. Kaliski Jr and Pauley (2010) discuss risk assessment of the cloud, stating that “[t]he very characteristics that make cloud computing attractive also tend to make it hard to assess” (p.2). Richter et al. (2011) discuss VM retrospection, a method for inspecting previous VM states in order to perform forensics, debugging, troubleshooting and so forth. Wang, Wang, Li, Ren, and Lou (2009) discuss the necessity of a Third Party

Figure 1. Key cloud computing characteristics



Actor (TPA) to assure security standards and to provide transparency in the security controls. Christodorescu, Sailer, Schales, Sgandurra, and Zamboni (2009) discuss methods of securing Clouds at the Virtual Machine (VM) level. They provide a short overview of known VM issues and solutions, and then propose their system which protects VMs in a cloud against malware and rootkits using a white/blacklist method. Jensen, Schwenk, Gruschka, and Iacono (2009) describe technical security issues related to cloud, using the Amazon EC<sup>2</sup> cloud as a case. Although all issues discussed are related to the cloud, all of them were already apparent before the coming of the cloud, some just have found new grounds to be relevant again. Ko, Jeon, and Morales (2011) developed the HybrEx Model which shows how more resources from public clouds can be added to private clouds without concerns for privacy and security. Vigfusson and Chockler (2010) discuss in "Clouds at Crossroads: Research Perspectives" research topics in the cloud, including privacy related issues. Discussing the trust problems that arise with the complex models of some cloud environments, it

provides a few solutions to suggestions which might be very feasible.

This research overlaps with current research in that it provides a global overview of the cloud, introducing and explaining it, but it also expands the current research with proposed solutions to analyse the cloud and model a secure cloud architecture. With the current research explaining either very technical details on protecting the cloud, where the mere describes arbitrary issues that are not specific to the cloud, or giving overviews of the cloud where security issues are touched lightly, this research will focus on the security issues in depth that come with the cloud in a more practical sense. We specify cloud specific issues and general security issues that have found new terrain in the cloud environment.

To conclude, this research provides users with a model that navigates them through the security checkpoints in a cloud environment, outputting an architecture specific for their data classification.

Table 1. Cloud characteristics explained (adapted from Mell &amp; Grance, 2010)

Cloud characteristic	Description
<b>Abstracted resources</b>	Using virtualisation, resources can be 'created' and scaled on the spot over one or more physical resources.
<b>Instant scalability &amp; flexibility</b>	The ability to add or remove virtual resources with the click on a button.
<b>Near instantaneous provisioning</b>	The ability to supply resources, services and such nearly instantaneous.
<b>Shared resources</b>	Multiple tenants can share resources.
<b>Service on demand</b>	Get the services needed on demand, and pay only for what you use (pay per hour basis, pay per use, etc.).
<b>Programmatic management</b>	APIs provide interfaces to manage the cloud environment, e.g., via web interfaces.

## RESEARCH METHOD: A THREE-STAGE DELPHI STUDY

To conduct the research this paper describes, a literature review has been conducted first. By reading the overall themes in security, followed by cloud specific topics, an overview has been created that is used as the starting point in the development of the SeCA model. This model has been verified by an expert panel. The experts were selected on the basis of their function, publications and knowledge of security, the cloud or a combination thereof. This group of experts, 26 in total, coming from organizations within the business to consumer, business to business, business to government industries and governmental organizations. They were interviewed using the Delphi tool developed at the Wharton Business School (2005).


A delphi study has been considered to be the best method for research in this paper, as it provides the researchers with a qualitative data set which would allow to create and verify the model, and would allow for the experts to see anonymized answers and be able to respond to these answers in upcoming rounds (Dalkey & Helmer, 1963). The first expert answer in question one was not the same first expert in question two per se. This way, a consensus is reached on the acceptance of the model. The Delphi method was executed consisting of three rounds of surveys with qualitative questions. Three rounds were chosen instead of two

(which is more common (Skulmoski, Hartman, & Krahn, 2007), so that a first round could be used to obtain general information on the topic, not specifically regarding to the model to be developed, while still having enough rounds to reach a consensus. The first round consisting of open questions where the experts were questioned on their experience with security and the cloud, issues and concerns regarding security in the cloud. These questions gave a wide result set that strengthened the results of the literature research earlier performed. Seventeen respondents answered the questions in the survey in all three rounds, a rate of 65% (see Figure 2 and Table 2 for an overview).

## RESULTS: FROM EXPLORATION TO MODEL VALIDATION

The result set that the first round created delivered the starting point for the second round, in which some questions were asked again in order to give the experts the option to rephrase their answers after having seen the answers of round one. Some questions were designed after noticing a consensus or discrepancy in the answers from round one, where others were completely new and had no specific relation to the questions asked in round one. The questions for round one were fed by literature review and informal meetings during conferences and congresses.

Figure 2. Conceptual model of the research presented



In the second round, an initial version of the SeCA model was presented. The goal of this model is to provide implementers, decision makers and experts in the field with a framework that they can use in order to assess cloud environments to their security needs. The feedback on this initial model was then used to improve it. The author of this paper originally expected that a framework where raw data is inputted would be best. This as the data will be hosted in the cloud (or at least has that intention.) However, it was found that the SeCA model looked at the data from an unusual perspective for its target audience and that a more architectural point of view was needed in order to be usable in the field. In round three, an improved SeCA model was introduced; the SeCA model was remodelled to accept data classifications as input, instead of raw data. This as raw data is classified within an organization and that for each classification, a different system architecture might be needed to host and execute data safely, as prescribed by the pertaining classification. Therefore, encryption is inserted as an attribute as this changes among the other attributes per classification and thus architecture.

The SeCA model allows for any user to assess the cloud environment from two perspectives. Either the user looks at its current data and the inherent classification and decides how the cloud environment should be configured to meet its requirements. Or one reverses that action and sees what data can be used by taking a

cloud environment and on that basis determine what can go in. This paper will describe only the forward movement, thus taking data classifications as an input and determine on that basis how the cloud environment should be configured.

The burn chart in Table 3 shows the amount of consensus reached in the study, per topic. White cells represent no questions on that topic were asked in that round; grey that consensus was reached; checkered pattern a consensus in part was reached; black no consensus reached.

As one can see, not all topics reached consensus. This was due to the fact that in the expert selection, business knowledge or technical knowledge on some topics were not taken into account. For example, the field of encryption is a very technical field that can be hard to fully understand and apply. Although some answers were very useful, other answers were dismissed in the same round as unfeasible, simpleminded or simply not true. This meant that the experience or knowledge between the experts varied too greatly to reach consensus. Subsequent research was done through literature review in the applicable topics.

## RISKS AND THREATS IN CLOUD COMPUTING

As previous research has shown, many risks in the cloud are not specifically cloud related, but browser, user or framework related (Jensen et al.,

Table 2. The experts (filtered on those that did all three rounds) in the delphi study

#	Position/function	Organization type	Cloud	Non-cloud	Security
1	Consultant	Enterprise integrator	X	X	
2	Director	IT consultancy		X	X
3	Security consultant/architect	IT security firm		X	X
4	Researcher	American University,	X	X	X
5	Enterprise Architect	Enterprise transportation		X	
6	Sr. manager	Large accounting firm	X	X	X
7	Security advisor	Transportation firm		X	X
8	IT Architect	IT consultancy	X	X	
9	Manager	Security solutions	X		X
10	Security manager	Utilities		X	X
11	Consultant	IT consultancy	X	X	
12	Security manager	Government		X	X
13	Security manager	Healthcare products		X	X
14	Manager	IT consultancy		X	X
15	Consultant	Enterprise integrator		X	X
16	Security manager	Utilities		X	X
17	IT auditor	Accounting	X	X	X

2009). This paper will not discuss those issues at large, but will instead focus on the design and implementation of the cloud environment from the security perspective at the server side

### CI3A

Because of the complexities the cloud presents as dictated by a majority of the participants of the Delphi study, the *de facto* CIA triad, which is used for testing the confidentiality, integrity and availability in systems, data flows and so forth, was found to be too constrained. For that reason, the CI3A was developed. The CI3A is an extension on the CIA triad, comprising of confidentiality, integrity, availability, accountability and auditability (Figure 3). The proposed model utilizes CI3A to assure the right level of security is maintained within the environment. This section will describe the CI3A, following separate sections on locationlessness and trust chains.

### Parts of the CI3A

*Confidentiality* is reached by proper authentication/authorization controls and encryption methods such as secured computing and two-factor encryption. Preventing data leakage is a central part within the confidentiality strategy. The choice of distribution and delivery model influences the level of confidentiality and the methods needed to assure confidentiality.

*Integrity* assures only authorized actors have access to certain data and that data gets distributed to only authorized persons. Within that distribution, any editing or changes within the data should only be made by the right persons. Governance and Compliance influence the integrity of the data; a fully compliant environment is more likely to assure integrity. As with Confidentiality, the chosen delivery and distribution model influences the level of integrity.

Table 3. Burn chart of the consensus reached in the delphi study

Topic	Round 1	Round 2	Round 3	Consensus	Comments
Security issues					All issues are accounted for in the model
Locationlessness					Location is a new issue and thoroughly discussed.
Trust issues					Outsourcing/insourcing/cloud differences are in discord
Encryption					Different knowledge levels; study done through literature.
Feasibility					Not a technical/security issue. Topic abandoned.
Model					Model validated and approved by the experts.
Auditing					Issues reached consensus; added to the CIAA.

*Availability* comprises of measures to prevent unauthorized actors from deleting and moving data, or accessing those files, minimizing downtime of the environment. These measures could be a HA infrastructure, strong authentication servers, disaster recovery or external hosted service such as CloudPolice (Popa, Yu, Ko, Ratnasamy, & Stoica, 2010). Availability plays a big role within the cloud environment, as servers can be hosted anywhere in the world, at multiple locations. Although an advantage in the eyes of HA and disaster recovery; latency, desynchronization and vulnerabilities in the transceiver links can pose threats. Also, ownership of data is a part of availability. Availability is linked to regional, geo-spatial, network, premise and to the delivery and distribution models.

*Accountability* defines the measures taken to assure that no actor can make actions without a record. This is needed for forensics and governance. The measures needed to assure accountability greatly depend on the delivery model, but also on the distribution model and compliance in general. Wang and Zhou (2010) have found accountability of paramount importance in the cloud, proposing a method for transferring accountability onto an external

host in order to perform accountability in a multitenant platform.


*Auditability*, the ability of the environment to be audited, is directly related to governance and compliancy. Without a decent grade of auditability, compliance cannot be achieved. Auditability is influenced by the delivery and distribution model, as well by the geo-spatial and geographic boundaries.

## Locationlessness

Because of the virtualized environment in which the cloud runs, geographic location does not tend to be an issue in the eyes of the beholder. The end user might not, or in some opinions doesn't need to, know where his data physically resides. This locationlessness behavior of the cloud can be a serious risk that outweighs the benefits, according to a consensus of all the participating experts. We define a locationless cloud as: a cloud environment in which the end user has no awareness of where his data physically resides. Issues of a locationless environment are plenty.

First of all, your data has to reside somewhere physically in order for any system to get it, even though it seems to the end user his data is located ubiquitous. This lack of control

Figure 3. The CIA3A visualized



makes compliancy nearly impossible; physical security becomes hard to control.

Further auditability issues arise, as different countries have different legal systems that will require different solutions. Then, there is the issue of availability. With no knowledge of where data resides, and no need for providers to provide the user with that information, it might happen that your data will reside at the other end of the world from one moment to another resulting in a high latency or even time-outs.

### Trust Chains

Trust is a major issue in any relation, be it personal or professional. Although this is trivial, cloud computing can create trust chains, in which the end user is not always aware which other links are present in his chain of trust (Figure 4). This pertains especially towards delivery models. With IaaS, the tenant is in direct contact with the owner of the infrastructure (in some cases there might be a reseller in between) who can have outsourced duties associated with the maintenance of the physical systems. In a SaaS model, one is not aware if the SaaS provider also owns the platform, or the infrastructure. This means that there might be a variety of different actors working on the cloud, whom all might be able to access the data that is being used in the SaaS in some way or another. Actors whom the tenant initially didn't trust have now become a part of his organizational network. This might result in actions that are a threat to the data. Although doing business is about making relations and trust, making this issue not insurmountable, it is a risk factor.

### Regional


Regional describe the boundaries that signify separate legal systems. These boundaries include cities, states, countries and territories. Some changes in legal systems might be significant, such as the difference in respect to privacy between the European Union and China; some might be incremental such as the difference between county and state laws in the United States. These differences however do impose a risk if your data gets placed on a physical server crossing such a boundary. Next to that, different legal systems have different perspectives on privacy, the use of subpoenas on data extraction from datacenters. As one expert commented: "bringing privacy information out of the European Union can be [a] violation of local or European law". This would mean that keeping in compliance with laws, be it local, national or international, will become more difficult without knowledge of the physical location of the data store and computing unit. Peterson and Gondree (2011) provide an elaborate view on the importance of data location awareness from an American perspective.

### Geo-Spatial

With regional or geo-spatial risks, the distance of objects "relating to the relative position [...] on the earth's surface" (Collins English Dictionary, 2009) is meant, in this case the distance between servers, but also the location of each server. This can be of importance in the case of disaster recovery, but also with regards to physical security as presented in security norms such as the



Figure 4. Trust chains in cloud architectures



ISO 2700x series. In the light of location, one could also consider other features such as the building type, the accessibility of the server etc. Geographic location should also be taken into account in the light of latency and propagation speeds, as emphasized by Tiwana, Balakrishnan, Aguilera, Ballani, and Mao (2010).

### Delivery Model

The cloud has three distinct platforms on which a cloud environment can be offered. They are stackable, meaning that if you have a Software as a Service (SaaS) solution, chances are that your provider manages a Platform as a Service (PaaS), but takes services from an Infrastructure as a Service (IaaS) provider. (See the section on “Trust Chains” for an elaboration.) This, however, does not mean that every SaaS solution is running as the top of a stack of cloud platforms. A SaaS solution can run on a traditional hardware stack with no further cloud environment attached. Figure 5 shows the hierarchy within the cloud. IaaS can be used to deploy PaaS solutions; PaaS can be used to deploy SaaS solutions.

### IaaS

The lowest platform in the above displayed delivery method pyramid, IaaS, or Infrastructure as a Service, provides the infrastructure of a server park. “[V]irtual machines and other abstracted hardware and operating systems which may be controlled through a service API” (Hogben & Catteddu, 2009, p. 15). Virtual Private Servers hosted as a cloud environment are often IaaS services. Rapid Elasticity comes into place as

more resources are required, the IaaS provider can then add more Virtual Machines to the subscription, and are wound down when no longer needed (Mulholland et al., 2010). Williams et al. (2011) propose a modular type of IaaS which allows for extending current IaaS architectures.


### PaaS

The Middle layer, Platform as a Service, “allows customers to develop new applications using APIs deployed and configurable remotely. The platforms offered include development tools, configuration management, and deployment platforms. Examples are Microsoft Azure, Force and Google App engine.” (Hogben & Catteddu, 2009, p. 15), “The consumer does not manage or control the underlying cloud infrastructure including network, servers, operating systems, or storage, but has control over the deployed applications and possibly application hosting environment configurations” according to the NIST definition (Mell & Grance, 2010, p. 2).

### SaaS

SaaS is software available on subscription, or as ENISA defines it: “software offered by a third party provider, available on demand, usually via the Internet configurable remotely” (Hogben & Catteddu, 2009, p. 15). NIST explains it as: “The capability provided to the consumer is to use the provider’s applications running on a cloud infrastructure. The applications are accessible from various client devices through a thin client interface such as a web browser. [...] The consumer does not manage or control

Figure 5. The delivery models visualized in a triangle



the underlying cloud infrastructure [...] with the possible exception of limited user-specific application configuration settings” (Mell & Grance, 2010, p. 2).

### OaaS

Apart from the three mentioned, there are multiple parties that tend to acknowledge more levels in the pyramid. These “Others as a Service” include BPMaaS (Business Process Management as a Service (Mulholland et al., 2010), Security as a Service (McAfee, 2009), Disaster Recovery as a Service (Wood et al., 2010) and Storage as a Service. These are just a small selection of popular services in the cloud. Some of them float between the aforementioned three layers. Security as a Service for example might exist on all levels, as its nature encompasses the infrastructure to end-user authentication. This paper limits itself to IaaS, PaaS and SaaS, as results might be very usable on other services than discussed in this paper.

### Deployment Model

The cloud comes in four different deployment models, these are private, public, hybrid and community/partner clouds. The difference between these four models is the openness of the cloud to its tenants. Below is a description of each these models.

#### Private Cloud

This cloud infrastructure is operated for just one organization. This does not mean that it has to be managed by that organization. The manage-

ment of the private cloud can be done by a third party, and the cloud itself can be physically located on the premises of that organization, or can be hosted somewhere else (sometimes called a virtual private cloud.) The cloud can exist behind a firewall of the organization, and thus only accessible within its private network, but can also be hosted off-premise on dedicated hardware (thus no multitenancy with other organizations). The main difference between a mainframe or internal traditional datacentre and a private cloud is that there is a virtualization layer that can be used to host SaaS applications, rapid deployment and other benefits of cloud computing. Even though private clouds conventionally lack the flexibility of their public equivalents, a model has been proposed to allocate public cloud space for private clouds, giving it the full flexibility as public clouds with the added security of private clouds (Ko et al., 2011).

#### Community or Partner Cloud

In a community cloud, a community or group of organizations share the same cloud infrastructure. These communities have shared concerns, such as a mission, goal and/or policy. The cloud can be managed by one of the organization within the community, or by a third party, and may exist on or off premise (Mulholland et al., 2010). An example of a community cloud is the Eucalyptus Community Cloud. It is a platform for software engineers to test drive Eucalyptus (cloud architecture software). It features all possibilities that a self-hosted eucalyptus cloud would have, thus making it possible to use

eucalyptus before investing in the full implementation of it (Eucalyptus, 2011).

## Public Cloud

The cloud is open for use to a large group of tenants, which do not need to know each other. The Cloud is run by a cloud service provider. An example can be a majority of offerings from Force.com and Google's Gmail to VPS.net, Rackspace cloud hosting and other public services, free or on a subscription basis.

## Hybrid Cloud

This cloud is a composition, or hybrid if you will, of two or more clouds of the types mentioned above. They are unique entities, but tied together with APIs to enable the exchange of data and applications. Due to the nature of the different clouds the hybrid consists of, it can be deployed both on and off premise, and be partly behind the firewall of an organization. An example is the announced app store HP is building in order to communicate and process sales with public and business relations. It features a public cloud in which consumers can buy products and services, and a private cloud for product development and administration (Hewlett-Packard Development Company, L.P., 2011).

## Governance and Compliance

Executing governance and compliance is according to our experts is a much debated issue. Because governance and compliance greatly depend on the infrastructure of the system and the above-mentioned boundary issues, this topic is much under the discretion of the chosen cloud environment.

Depending on the chosen delivery model, compliance can be completely out of hand. A SaaS application depends on their vendors for governance and compliance. For PaaS it is partly the same, any compliance and governance within the software and how it handles data is on the part of the developer. The governance of the infrastructure and platform on which the application relies is in the hands of the provider.

As with SaaS, negotiations need to take place with the provider in order to secure compliance. For IaaS, most of the governance and compliance lays in the hands of the tenant. The IaaS provider has to take care of the compliance to standards such as SAS-70, but many issues like privacy, data encryption and authentication are the responsibility of the tenant.

Concerning deployment models, compliance and governance in a public cloud can be difficult, as you are limited to your VM instance, whereas in a private cloud your negotiation position will be stronger as there are no other tenants to take into account. In a partner cloud, one can imagine that governance and compliance is a shared goal.

Concerning boundaries, the major aspect is the geographic location of the servers. The easiest option is of course in the same region as the organization resides, most knowledge of laws and executing governance/assuring compliance will be readily available. Auditing will not be an issue, as you can identify an auditing partner with whom you can easily communicate. That being said, the hardest option is obviously a cloud environment dispersed over the globe. Although disaster recovery wise there will be no issue complying with the toughest guidelines, getting audited and governance worldwide will be tougher. Although experts in the survey were wary of the fact that it could be done, in a personal interview with a Chief Information Security Officer of a large utilities company, it was made clear that a global audit is unprecedented.

## Encryption

Encryption plays a vital role within the cloud environment. It is affected by all but the geo-spatial attributes in the SeCA model and affects the regional, delivery and deployment model. Although encryption is a broad topic that has been covered in many papers, theses and books, there are some aspects that are specifically related to the cloud. VPN tunnels, together with SSH can provide secure access to the cloud environment. Two-factor authentication can be

very helpful for the cloud environment. Many institutions are using hardware key-tokens or SMS gateways in order to provide the second form of authentication apart from keying in a password. Authentication servers using protocols as RADIUS in combination with LDAP, Kerberos or Active Directory can handle all access requests in a proven manner as they are no different from any LAN/WAN setup at a traditional environment. The author therefore believes that in terms of access control, authentication and authorization, no cloud specific issues are at hand.

Apart from the aforementioned, an encryption method specifically pertaining to the cloud is secure computing. Secure computing offers a solution to issues that arise when multiple systems have to use secure information in transactions and computations, in essence described by Yao's (1982) Millionaires' problem.

This research has been extended by (Goldreich, 2000), who researched the problem with multiple actors (called SMC, Secure Multi-party Computations). Recent research involves SMC geometry, researching transactions of polygons on convex hulls (for an overview, see Wang, Luo, & Huang, 2008).

It is known that any multi-party computational problem can be solved using the generic technique of Yao (Yao, 1982). To overcome the overhead with Yao's Millionaires' problem, and thus SMC, it seems that algorithms designed to compute a special task need to be written (Feigenbaum, Pinkas, Ryger, & Saint Jean, 2004; Goldreich, 2000). Using encryption methods such as homomorphic encryption and public key encryption, several algorithms have shown to be applicable to the cloud (Das & Srinathan, 2007; Hu & Xu, 2009; Troncoso-Pastoriza & Pérez-González, 2010) and have proven to provide the security needed for the cloud within test situations approaching real life cloud environments.

These methods of secure computing would allow the creation of a chain of trust that is secure, even though not all parties within the chain know each other nor trust each other. This could overcome any trust issues that might be

in the field of cloud environments. Together with the enhanced and proven techniques of authentication and authorization already available, encryption can make the cloud a very secure architecture.

Apart from the above mentioned, (Mowbray & Pearson, 2009) have developed a privacy manager that can obfuscate data in effort to protect it from malicious providers.

Table 4 shows how encryption affects and is affected by the choice of certain in the model.

## Network

Network indicates the boundary of an organizational computer network. This is an important factor, as some information is not wanted outside the corporate network, such as trade secrets. Keeping a cloud environment within the boundaries of the network can be reached by keeping it on premise and thus physically in the network, or it can be reached by creating a VPN connection (as elaborated by Wood, Gerber, Ramakrishnan, Shenoy, & Van der Merwe, 2009) or a VLAN (in case of internal networks, or in public as described by Hao, Lakshman, Mukherjee, & Song, 2010) in order to keep the information within the network.

Because some configurations stretch the extension of the enterprise network, additional risks are incurred due to this stretch, as some of our experts mentioned in the survey. This stretch in the network is also noticeable in the added amount of actors which have to be trusted. The cloud provider will probably have access to your network, or the possibility to illegally gain so.

An added risk is the uncertainty of the WAN infrastructure at the provider's side. Connecting with the cloud provider might create vulnerabilities that could threaten the corporate network. Next to that, multitenancy might also be considered within the range of network boundaries. Although multitenancy should never be a threat to the virtual machine, in that it shouldn't have the possibility of other tenants to enter your VM, it has been proven that a vulnerability on the OS level could provide access to other VMs. Ristenpart, Tromer,

Table 4. Encryption and how it is affected or affects the other attributes in the SeCA model

SeCA attribute	Confidentiality	Integrity	Availability	Accountability	Auditability
<b>Regional</b>	X			X	X
<b>Geo-spatial</b>			X		
<b>Compliance</b>	X	X			X
<b>Delivery model</b>	X	X	X		X
<b>Deployment model</b>	X	X	X	X	X
<b>Encryption</b>	X	X		X	X
<b>Network</b>	X		X	X	
<b>Premises</b>	X	X	X		

Shacham, and Savage (2009) describe ways to discover where nodes are hosted on Amazon's EC2 cloud, following with a discussion how to place a co-resident on that physical server in order to be able to reach the hardware a selected node is on. By then compromising the system, the selected node might be entered. This is a risk that has to be considered, how small it seems to be (for an overview, see Asadoorian, 2007; Mehta & Smith, 2007; Ormandy, 2007).

## Premise

Organizational premises play a role in the physical location of the cloud environment. One can either wise choose to have the hardware reside on or off organizational premises. For high security purposes keeping the hardware on premise, and thus fully in own control, might provide a benefit; personnel can be screening, extended access control to the datacenter and forensics are some of those. This extends the discussion on the geographic location of the server, presenting a trade off in security between on-premise servers versus geo-spatial choices.

## SeCA: THE SECURE CLOUD ARCHITECTURE MODEL

Resulting from the research conducted, we can summarize that the cloud can be secure, as long as its policies and SLAs are correctly in place and enforced. The different factors and risks involving cloud computing make it


difficult to pinpoint to one secure cloud. In fact that is impossible, due to the diversity of cloud architectures and the data that is being stored on it. To circumvent this problem, a model has been designed. This model has been validated in the final round of the Delphi study.

The model described in Figure 6 gives an abstract overview of all the characteristics of the cloud. It defines a secure cloud architecture for a specific data classification.

The model outputs guidelines for the Cloud environment and to which specification a cloud solution should adhere. In the Appendix is a template (Table 1A) that could be used for assessing the cloud architecture following the SeCA model. The flow chart below shows where this assessment ordinarily should take place. It is assumed that organizations already have classifications tailor made for their data in an earlier stage. For each classification a cloud architecture is assessed using the SeCA model (Figure 7). Once this is done, a list of cloud providers who can adhere to the results from the assessment is created. This can be done manually or using proposed services such as CloudCMP (Li, Yang, Kandula, & Zhang, 2010). Ultimately a cloud provider is selected, arrangements are made and the data can be placed in the cloud.

It can occur that each classification has a different output from the assessment. (It is actually most likely to do so.) In that case several options are open. For each classification

Figure 6. The SeCA model



a different list of cloud providers is made in order to find and select the right cloud provider who can provide the cloud architecture needed. These can be combined in Hybrid Clouds. One can also decide that for certain classifications it is simply not feasible to transfer that data into the cloud and thus stay with the solutions already in place.

The model does not provide the intelligence which classifications could be hosted at the same cloud architectures. It is for the assessor to decide which cloud architectures that are the result from the assessments can be merged.

For example, when assessing a fictional classification named 'private', which would fit to any private information in an organization which is not mission critical and for internal purposes only, the results in Table 5 can be outputted (simplified for exemplary purposes).

## CONCLUSIONS AND FURTHER RESEARCH

Defining something as secure depends on many factors. Depending on the sort of data, the classification of that data and taking that wholly into perspective of the cloud environment, it can be said that the cloud is secure in certain situations. Depending on the outcomes of investigations, there should always be a cloud architecture that fits one's security needs. Better yet, the cloud can provide additional layers of security by utilizing virtualization, elasticity and HA architectures. Even though the additional layer of virtualization on the system

might provide additional hazards, looking at the scarcity of exploitations in this layer one can rationally say that the virtualization layer adds more protection than threats.

By using the SeCA model described above, each and every classification can be checked to see how a cloud architecture should be designed in order to meet the security standards needed. It will, however, depend on the cloud provider whether it can deliver the architecture that is needed.

For the upmost secure classifications, a private cloud, hosted on premise, within the network, with mirroring on a different physical location (branch office) utilizing the needed encryption methods will provide a very secure architecture whilst maintaining the flexibility the cloud has to offer.

For every architecture counts that data location awareness is essential. Without the full knowledge of where the data resides and is processed, issues will arise in all actors of the CI3A. Data location awareness will also provide the means for compliance, legally and to security standards. These standards are being adopted by all major vendors, including Amazon, Google and Microsoft, with smaller ones following. This facilitates full compliance to the de facto security and auditing standards such as SAS 70, ISO 27000 series, PCI and COBIT. It depends, once again, on the configuration of the cloud architecture and, where applicable, the willingness of the cloud provider to allow for audits. If the selected cloud architecture features datacentres in widely spread different parts of the world, auditing might be more complicated.

Figure 7. The position of the SeCA model in the process of moving data into the cloud (simplified)



This of course also applies to the compliance to legal systems (privacy, intellectual property and auditing regulations) which can vary between jurisdictions. It is because of these implications that so-called locationless clouds are not preferable. They have an opaque layer that hides the user from vital knowledge in order to gain assurance with respect to the CIAA.

Further research can be conducted in the legal field. This was out of scope of this research, but the legal issues surrounding auditing, SLAs and NDAs are of paramount importance for the security in the cloud. SLAs especially, are of profound importance as they describe what measures a cloud provider should undertake for the security of the cloud. This paper unfortunately has not had the possibility to explore the provider side of the cloud environment much.

Related to this is auditing in international/worldwide clouds. Auditing certifications, governance and compliance to legal systems in these environments mean that auditing firms, datacentre owner, providers and application owners all need to work together in order to

perform a successful audit. In international and worldwide clouds these relations might become very complex, not to mention that multiple audit firms and offices have to work together. The issues raised with datacentres situated in different legal regions, such as China and the United States, are worth more research. Auditing plays also here a major role.

A pressing issue not discussed, but deserving further research regards the third party appliances that are currently installed in traditional datacentres. These appliances cannot be directly converted to the cloud, as the cloud does not offer any place for such appliances. It seems that at the moment of writing many of these appliances are converted to the cloud by their developers. It is nonetheless interesting to see what impact these appliances have on the adoption of the cloud computing concept. On a similar note, Krauthem (2009) has developed an infrastructure called PVI for the cloud that automates provisions depending on security settings. It would be interesting to see

Table 5. Results from the cloud analysis

Classification: Private	Secure Cloud Architecture Specification
Attribute	Value
<b>Regional</b>	Cloud environment physically within the same region as the organisation.
<b>Geo-spatial</b>	A High Availability architecture is preferred, at least one backup location in a different building on separate power net.
<b>Governance/compliance</b>	No need to adhere to specific standards. Annual audit is required to assure proper protection.
<b>Delivery model</b>	Any
<b>Deployment model</b>	Any
<b>Encryption</b>	A proper authentication and authorisation system should be in place for any actions. Alignment with the LDAP server in place is preferred.
<b>Network</b>	Any
<b>Premises</b>	Any

how the SeCA model can be connected to the presented PVI.

Although some cloud providers are certified, the impact of that certification on the real security of the services the provider offers is not always known. SAS70 for example does not offer any concrete security, it only offers a framework for auditing internal controls. The cloud provider will need to list its internal controls for any user to see what has been audited. It might be interesting to see how cloud providers use that information, what they do with it and whether the certifications really add up to extra level of security that is said it adds.

## REFERENCES

- Asadoorian, P. (2007). Escaping from the virtualization cave. *PaulDotCom*. Retrieved July 12, 2011, from [http://www.pauldotcom.com/2007/07/31/escaping\\_from\\_the\\_virtualizati.html](http://www.pauldotcom.com/2007/07/31/escaping_from_the_virtualizati.html)
- Benson, T., Sahu, S., Akella, A., & Shaikh, A. (2010). A first look at problems in the cloud. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing*, Boston, MA (pp. 1-7). Berkeley, CA: USENIX.
- Chen, Y., Paxson, V., & Katz, R. H. (2010). *What's new about cloud computing security* (Tech. Rep. No. UCB/EECS-2010-5, Vol. 20). Berkeley, CA: University of California. Retrieved from <http://www.eecs.berkeley.edu/Pubs/TechRpts/2010/EECS-2010-5.pdf>
- Christodorescu, M., Sailer, R., Schales, D. L., Sgandurra, D., & Zamboni, D. (2009). Cloud security is not (just) virtualization security. In *Proceedings of the ACM Workshop on Cloud Computing Security* (p. 97). New York, NY: ACM.
- Dalkey, N., & Helmer, O. (1963). An experimental application of the DELPHI method to the use of experts. *Management Science*, 9(3), 458-467. doi:10.1287/mnsc.9.3.458
- Das, A. S., & Srinathan, K. (2007). Privacy preserving cooperative clustering service. In *Proceedings of the 15th International Conference on Advanced Computing and Communications*, Guwahati, India (pp. 435-440). Washington, DC: IEEE Computer Society.
- Feigenbaum, J., Pinkas, B., Ryger, R. S., & Saint Jean, F. (2004). Secure computation of surveys. In *Proceedings of the EU Workshop on Secure Multi-party Protocols* (pp. 1-6).
- Forum, J. (2009). *Cloud cube model: Selecting cloud formations for secure collaboration*. Retrieved from [http://www.opengroup.org/jericho/cloud\\_cube\\_model\\_v1.0.pdf](http://www.opengroup.org/jericho/cloud_cube_model_v1.0.pdf)
- Foster, I., Zhao, Y., Raicu, I., & Lu, S. (2008). Cloud computing and grid computing 360-degree compared. In *Proceedings of the Grid Computing Environments Workshop*, Austin, TX (pp. 1-10). Washington, DC: IEEE Computer Society.
- Ghinste, B. V. (2010). Gartner: Private cloud computing plans from conference polls. *MSDN Blogs*. Retrieved June 27, 2011, from <http://blogs.msdn.com/b/architectsrule/archive/2010/05/07/gartner-private-cloud-computing-plans-from-conference-polls.aspx>
- Gilder, G. (2006). The information factories. *Wired.com*. Retrieved June 27, 2011, from [http://www.wired.com/wired/archive/14.10/cloudware\\_pr.html](http://www.wired.com/wired/archive/14.10/cloudware_pr.html)
- Goldreich, O. (2000). Secure multi-party computation. In Goldreich, O. (Ed.), *Foundations of cryptography* (Vol. 2). Cambridge, UK: Cambridge University Press.
- Hao, F., Lakshman, T., Mukherjee, S., & Song, H. (2010). Secure cloud computing with a virtualized network infrastructure. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing*, Boston, MA (pp. 16-16). Berkeley, CA: USENIX.
- Hogben, G., & Catteddu, D. (2009). *Cloud computing: Benefits, risks and recommendations for information security*. In C. Serrão, V. Aguilera Díaz, & F. Cerullo (Eds.) *Web application security* (Vol. 72). Berlin, Germany: Springer-Verlag. Retrieved from [http://www.enisa.europa.eu/act/rm/files/deliverables/cloud-computing-risk-assessment/at\\_download/fullReport](http://www.enisa.europa.eu/act/rm/files/deliverables/cloud-computing-risk-assessment/at_download/fullReport)
- Hu, H., & Xu, J. (2009). Non-exposure location anonymity. In *Proceedings of the IEEE 25th International Conference on Data Engineering*, Shanghai, China (pp. 1120-1131). Washington, DC: IEEE Computer Society.
- Jensen, M., Schwenk, J., Gruschka, N., & Iacono, L. L. (2009). On technical security issues in cloud computing. In *Proceedings of the IEEE International Conference on Cloud Computing*, Bangalore, India (pp. 109-116). Washington, DC: IEEE Computer Society.
- Kaliski, B. S., Jr., & Pauley, W. (2010). Toward risk assessment as a service in cloud environments. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing*, Boston, MA (pp. 13-13). Berkeley, CA: USENIX.



- Ko, S. Y., Jeon, K., & Morales, R. (2011). The HybEx model for confidentiality and privacy in cloud computing. In *Proceedings of the Conference on Hot Topics in Cloud Computing*, Portland, OR. Berkeley, CA: USENIX. Retrieved from [http://www.usenix.org/event/hotcloud11/tech/final\\_files/Ko.pdf](http://www.usenix.org/event/hotcloud11/tech/final_files/Ko.pdf)
- Krauthaim, F. J. (2009). Private virtual infrastructure for cloud computing. In *Proceedings of the Conference on Hot Topics in Cloud Computing*, San Diego, CA (p. 5). Berkeley, CA: USENIX.
- Li, A., Yang, X., Kandula, S., & Zhang, M. (2010). CloudCmp: Shopping for a cloud made easy. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing*, Boston, MA (p. 5). Berkeley, CA: USENIX.
- McAfee. (2009). *Technical FAQ. Security*. Santa Clara, CA: Author. Retrieved from <http://www.mcafee.com/us/resources/white-papers/wp-saas-faq.pdf>
- Mehta, N., & Smith, R. (2007). VMWare DHCP server remote code execution vulnerabilities. *IBM Internal Security Systems*. Retrieved July 12, 2011, from <http://www.iss.net/threats/275.html>
- Mell, P., & Grance, T. (2010). *NIST definition of cloud computing v1.5*. Retrieved from <http://www.csrc.nist.gov/groups/SNS/cloud-computing/cloud-def-v1.5.doc>
- Mowbray, M., & Pearson, S. (2009). A client-based privacy manager for cloud computing. In *Proceedings of the Fourth International ICST Conference on Communication System Software and Middleware*, Dublin, Ireland (p. 1). New York, NY: ACM.
- Mulholland, A., Pyke, J., & Fingar, P. (2010). *Enterprise cloud computing*. Tampa, FL: Meghan-Kiffer.
- Ormandy, T. (2007). An empirical study into the security exposure to host of hostile virtualized environments. In *Proceedings of the CanSecWest Applied Security Conference*, Vancouver, BC, Canada.
- Peterson, Z., & Gondree, M. (2011). A position paper on data sovereignty: The importance of geolocating data in the cloud. In *Proceedings of the Conference on Hot Topics in Cloud Computing*, Portland, OR. Berkeley, CA: USENIX. Retrieved from [http://www.usenix.org/event/hotcloud11/tech/final\\_files/Peterson.pdf](http://www.usenix.org/event/hotcloud11/tech/final_files/Peterson.pdf)
- Popa, L., Yu, M., Ko, S. Y., Ratnasamy, S., & Stoica, I. (2010). CloudPolice: Taking access control out of the network. In *Proceedings of the Ninth ACM SIGCOMM Workshop on Hot Topics in Networks*, Monterey, CA (p. 7). New York, NY: ACM.
- Reuters. (2008). What on Earth is “cloud computing”? *Reuters*. Retrieved June 27, 2011, from <http://blogs.reuters.com/mediafile/2008/09/25/what-on-earth-is-cloud-computing/>
- Richter, W., Ammons, G., Harkes, J., Goode, A., Bila, N., de Lara, E., et al. (2011). Privacy-sensitive VM retrospection. In *Proceedings of the Conference on Hot Topics in Cloud Computing*, Portland, OR (pp. 1-6). Berkeley, CA: USENIX. Retrieved from [http://www.usenix.org/events/hotcloud11/tech/final\\_files/Richter.pdf](http://www.usenix.org/events/hotcloud11/tech/final_files/Richter.pdf)
- Ristenpart, T., Tromer, E., Shacham, H., & Savage, S. (2009). Hey, you, get off my cloud: Exploring information leakage in third-party compute clouds. In *Proceedings of the 16th ACM Conference on Computer and Communications Security*, Chicago, IL (pp. 199-212). New York, NY: ACM.
- School, W. B. (2005). *Delphi decision aid*. Retrieved October 5, 2010, from <http://armstrong.wharton.upenn.edu/delphi2/>
- Skulmoski, G. J., Hartman, F. T., & Krahn, J. (2007). The Delphi method for graduate research. *Journal of Information Technology Education*, 6, 1–21.
- Tiwana, B., Balakrishnan, M., Aguilera, M. K., Balani, H., & Mao, Z. M. (2010). Location, location, location! Modeling data proximity in the cloud. In *Proceedings of the Ninth ACM SIGCOMM Workshop on Hot Topics in Networks*, Monterey, CA (p. 15). New York, NY: ACM.
- Troncoso-Pastoriza, J. R., & Pérez-González, F. (2010). CryptoDSPs for cloud privacy. In *Proceedings of the Workshop on Cloud Information System Engineering*, Hong Kong, China (pp. 1-12). New York, NY: ACM.
- Vaquero, L. M., Roderer-Merino, L., Caceres, J., & Lindner, M. (2008). A break in the clouds: towards a cloud definition. *ACM SIGCOMM Computer Communication Review*, 39(1), 50–55. doi:10.1145/1496091.1496100
- Vigfusson, Y., & Chockler, G. (2010). Clouds at the crossroads. *Crossroads*, 16(3), 10–13. doi:10.1145/1734160.1734165
- Voas, J., & Zhang, J. (2009). Cloud computing: New wine or just a new bottle? *IT Professional*, 11(2), 15–17. doi:10.1109/MITP.2009.23

Wang, C., & Zhou, Y. (2010). A collaborative monitoring mechanism for making a multitenant platform accountable. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing*, Boston, MA (pp. 18-25). Berkeley, CA: USENIX. Retrieved from [http://www.usenix.org/event/hotcloud10/tech/full\\_papers/WangC.pdf](http://www.usenix.org/event/hotcloud10/tech/full_papers/WangC.pdf)

Wang, Q., Luo, Y., & Huang, L. (2008). Privacy-preserving protocols for finding the convex hulls. In *Proceedings of the Third International Conference on Availability, Reliability and Security* (pp. 727-732). Washington, DC: IEEE Computer Society.

Wang, Q., Wang, C., Li, J., Ren, K., & Lou, W. (2009). Enabling public verifiability and data dynamics for storage security in cloud computing. In M. Backes & P. Ning (Eds.), *Proceedings of the 14th European Symposium on Computer Security* (LNCS 5789, pp. 355-370).

Williams, D., Elnikety, E., Eldehry, M., Jamjoom, H., Huang, H., & Weatherspoon, H. (2011). Unshackle the cloud! In *Proceedings of the Conference on Hot Topics in Cloud Computing*, Portland, OR. Berkeley, CA: USENIX. Retrieved from <http://www.cs.cornell.edu/~djwill/pubs/unshackle.pdf>

Wood, T., Cecchet, E., Ramakrishnan, K., Shenoy, P., Van Der Merwe, J., & Venkataramani, A. (2010). Disaster recovery as a cloud service: Economic benefits & deployment challenges. In *Proceedings of the 2nd USENIX Conference on Hot Topics in Cloud Computing* (p. 8). Berkeley, CA: USENIX.

Wood, T., Gerber, A., Ramakrishnan, K., Shenoy, P., & Van der Merwe, J. (2009). The case for enterprise-ready virtual private clouds. In *Proceedings of the Conference on Hot Topics in Cloud Computing*, Monterey, CA (pp. 4-9). Berkeley, CA: USENIX.

Yao, A. C. (1982). Protocols for secure computations. In *Proceedings of the 23rd Annual Symposium on Foundations of Computer Science*, Chicago, IL (pp. 160-164). Washington, DC: IEEE Computer Society.

*This Baars, born in Arnhem, now living in Utrecht, The Netherlands, got an interest for Cloud Computing while pursuing his degree in Information Science at the Department of Information and Computing Science at Utrecht University, The Netherlands. His research revolves around information security, online reverse auctions, knowledge networks, social networks, business intelligence, intellectual property and cloud computing. In his research he attempts to make thorough usage of diverse range of both qualitative and quantitative methods. He loves to tinker about the ways information systems will change human life now and in the near future, which is reflected in his research: it will always pertain to clear business goals. Please visit <http://www.thijsbaars.nl> for more information.*

*Marco Spruit is an assistant professor at the Department of Information and Computing Science at Utrecht University, The Netherlands. He received his PhD from the University of Amsterdam, The Netherlands. His research revolves around knowledge discovery processes to help achieve organizational goals through data mining techniques, business intelligence methods, linguistic engineering techniques and social web technologies. Additionally, he investigates information security models and cloud computing frameworks as infrastructural safeguards and enablers for knowledge discovery processes, respectively. His strategic research objective is to realise and valorise a multi-domain knowledge discovery platform. Please visit <http://m.spru.it> for more information.*

## APPENDIX

Table 1A. SeCA data classification template

		Date: _____
Classification Name/Identification: _____		Expert's Name: _____
<b>Regional:</b>		
<b>Geo-spatial:</b>		
<b>Governance &amp; Compliance:</b>		
<b>Delivery Model:</b>	<input type="radio"/> IaaS <input type="radio"/> PaaS <input type="radio"/> SaaS	
<b>Deployment model:</b>	<input type="radio"/> Private <input type="radio"/> Partner/Community <input type="radio"/> Public <input type="radio"/> Hybrid	
<b>Encryption:</b>		
<b>Network:</b>	<input type="radio"/> Within <input type="radio"/> Outside <input type="radio"/> Any	
<b>Premises:</b>	<input type="radio"/> On premise <input type="radio"/> Off premise <input type="radio"/> Any	