

Competitive Programming

Frank Takes

LIACS, Leiden University

<https://liacs.leidenuniv.nl/~takesfw/CP>

Lecture 1 — Introduction to Competitive Programming

About this course

- Competitive Programming

About this course

- **Competitive Programming:** problem solving, algorithm selection, algorithm design, data structure optimization, complexity analysis, . . .

About this course

- **Competitive Programming:** problem solving, algorithm selection, algorithm design, data structure optimization, complexity analysis, . . .
- . . . in a competitive context

About this course

- **Competitive Programming:** problem solving, algorithm selection, algorithm design, data structure optimization, complexity analysis, ...
- ... in a competitive context, i.e., with
 - limited CPU time
 - limited memory consumption
 - a fixed amount of problem solving time (optional)
 - others competing with you (more optional)

About this course

- **Competitive Programming**: problem solving, algorithm selection, algorithm design, data structure optimization, complexity analysis, ...
- ... in a competitive context, i.e., with
 - limited CPU time
 - limited memory consumption
 - a fixed amount of problem solving time (optional)
 - others competing with you (more optional)
- This is not software engineering, but **algorithmic problem solving**.

Course information

- Lectures: Tuesdays, 14:15 to 16:00 in Snellius room 313
- Sometimes including a lab session in room 302-304
- Three 13:15 to 18:00 sessions on Mar 29, Apr 26 and May 17
- Period: February 15 — May 24, 2022; not on February 22
- Prerequisites: Algorithms, Datastructures (bachelor level)
- Required skills: C++ (or Java)
- Course website:
<https://liacs.leidenuniv.nl/~takesfw/CP>

Course format

- 13 weeks: presentations by lecturer and students
- No exam
- Book as reference material
- Grade composition
 - one individual assignment 20%
 - a presentation and report 35%
 - three programming contests $3 \times 15 = 45\%$
- All five grades have to be > 5
- Final grades are rounded to nearest element in $\{1, 2, 3, 4, 5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10\}$
- 6 ECTS

Course team

- Lecturer: dr. Frank Takes
`f.w.takes@liacs.leidenuniv.nl`, room 157b
- Assistants:
 - Ludo Pulles MSc
`l.n.pulles@umail.leidenuniv.nl`
 - Hanjo Boekhout MSc
`h.d.boekhout@liacs.leidenuniv.nl`




Figure: S. Halim and F. Halim, *Competitive Programming 3*, Lulu.com, 2013.

Before we start . . .

- Deadlines and assignment (retake) deadlines are hard
- Individual assignments must be made alone
- Team work should be balanced
- Plagiarism = instant removal from course
- This is a **relatively new** course taught for the first time in Spring 2020; this is the 2nd edition and there will still be errors, hickups, etc.
- Please contribute! Feedback is very welcome

To be made available in the coming two weeks



Universiteit
Leiden

- Individual assignment
- List of topics for presentation and report
- Deadlines for individual assignment and report



Competitive programming

Why competitive programming?

- Problem solving using algorithms
- Think conceptually **and** practically about
 - Time complexity
 - Space complexity
 - Data structures
- Recognize different problem types
- Increase available knowledge of algorithms **and** programming skills
- Learn to think, communicate and discuss about
 - algorithmic problems
 - specific solutions to these problems
 - generic types of solutions

Example problem

Consider an algorithm that takes as input a positive integer n . Then, repeatedly, if n is even, it is divided by 2, and if n is odd, the algorithm multiplies it by 3 and adds 1. It stops after n has become equal to 1. For example, the sequence for $n = 3$ is:

$$3 \rightarrow 10 \rightarrow 5 \rightarrow 16 \rightarrow 8 \rightarrow 4 \rightarrow 2 \rightarrow 1$$

Input: The only input line contains an integer n with $1 \leq n \leq 1,000,000$.

Output: One line, containing the subsequent values of n during the execution of this algorithm, separated by a space.

Example input:

3

Example output:

3 10 5 16 8 4 2 1

Problem structure

- Problem description; a little story
- Usually at least one example
- Constraints on the variables
- Example input
- Example output

Problem structure

- Problem description; a little story
- Usually at least one example
- Constraints on the variables
- Example input
- Example output
- Usually, many more testcases than the examples are used to test a submitted solution.



Example solution

```
#include <iostream>
using namespace std; // (I know.)

int main() {
    int n;
    cin >> n;
    cout << n;
    while (n != 1) {
        if (n % 2 == 0)
            n /= 2;
        else
            n = n * 3 + 1;
        cout << " " << n;
    } // while
    cout << "\n";
    return 0;
} // main
```

Example solution

```
#include <iostream>
using namespace std; // (I know.)

int main() {
    int n;
    cin >> n;
    cout << n;
    while (n != 1) {
        if (n % 2 == 0)
            n /= 2;
        else
            n = n * 3 + 1;
        cout << " " << n;
    } // while
    cout << "\n";
    return 0;
} // main
```

What is wrong?

Example solution

```
#include <iostream>
using namespace std; // (I know.)

int main() {
    int n;
    cin >> n;
    cout << n;
    while (n != 1) {
        if (n % 2 == 0)
            n /= 2;
        else
            n = n * 3 + 1;
        cout << " " << n;
    } // while
    cout << "\n";
    return 0;
} // main
```

What is wrong? `int n` should be `long long n`, as possibly $n > \text{INT_MAX}$

Solution structure

- Usually, the first variable is the number of testcases
- Then for each test case, read one or more variables
- You may need to store the input data
- Output typically goes on a new line for each testcase
- Be careful with extra whitespace ...

t

```
int main() {  
    int t, n, m;  
    cin >> t;  
    while(t--) { // for each of the t testcases...  
        cin >> n >> m; // read dimensions of the problem  
  
        // do some computation here  
  
        cout << "Your solution, however complex or simple." << endl;  
    } // while  
    return 0;  
} // main
```

Realistic solution

```
#include <iostream>
using namespace std;

int main() {
    int t;
    long long n;
    cin >> t;
    while(t--) {
        cin >> n;
        cout << n;
        while (n != 1) {
            if (n % 2 == 0)
                n /= 2;
            else
                n = n * 3 + 1;
            cout << " " << n;
        } // while
        cout << "\n";
    } // while
    return 0;
}
```

Testing (1)

in.txt

3
8
42
15

out.txt

8 4 2 1
42 21 64 32 16 8 4 2 1
15 46 23 70 35 106 53 160 80 40 20 10 5 16 8 4 2 1



Testing (2)

```
takesfw@takes$ g++ -Wall -O2 mysolution.cpp  
takesfw@takes$ ./a.out < in.txt  
8 4 2 1  
42 21 64 32 16 8 4 2 1  
15 46 23 70 35 106 53 160 80 40 20 10 5 16 8 4 2 1  
takesfw@takes$
```


Testing (2)

```
takesfw@takes$ g++ -Wall -O2 mysolution.cpp
takesfw@takes$ ./a.out < in.txt
8 4 2 1
42 21 64 32 16 8 4 2 1
15 46 23 70 35 106 53 160 80 40 20 10 5 16 8 4 2 1
takesfw@takes$

takesfw@takes$ ./a.out < in.txt > myout.txt
takesfw@takes$ diff myout.txt out.txt
takesfw@takes$
# (no output = no difference = correct on testcase)
```

Understanding constraints


- Input size is given

e.g., a puzzle on an array of length n where the goal is to find some element.

What can you do if:

- $n = 8$
- $n = 100$
- $n = 100,000$
- $n = 10,000,000$

Big-O Complexity Chart



Sorting algorithms



<https://www.youtube.com/watch?v=ZZuD6iUe3Pc>

Problem types

- Straightforward
- Simulation
- Greedy
- Brute-force
- Divide and conquer
- Searching
- Sorting
- Graph, network flow
- Dynamic programming
- String processing
- Geometry
- Mathematics

- DOMjudge: software for running a programming contest
- Users are members of teams
- Teams can compete in contests
- Contests have an associated problemset
- A problemset contains multiple problems
- Each problem is of the form as discussed before



Possible results

- **CORRECT**: the submission passed all tests, problem solved!
- **COMPILER-ERROR**: you can catch this before submitting
- **TIMELIMIT**: use a less complex approach, check for infinite loops
- **RUN-ERROR**: seg-faults, divide by 0, tried to allocate too much memory, no `"return 0;"` at the end, etc.
- **NO-OUTPUT**: your program did not generate any output or did not use the standard input/output
- **OUTPUT-LIMIT**: your program generated more output than the allowed limit (and was thus wrong)
- **WRONG-ANSWER**: go find the bug in your code . . .
- **TOO-LATE**: you submitted when contest had ended

Contest element

- Fixed amount of time; 5 hours
- Work in teams; 2 or 3 people
- Solve as many of the ca. 12 problems in the problemset as possible
- Work in teams, on one computer
- More problems solved is better
- Ties are determined by sum of time to CORRECT over all solved problems; penalty for WRONG ANSWER
- Nice: be the first to solve a problem
- Scoreboard of all teams

RANK	TEAM	SCORE	A	B	C	D	E	F	G	H	I	J	K	L
1	Cambridge University Triniceratops University of Cambridge	11 1104	31 1 try	27 2 tries	22 1 try	257 1 try	142 2 tries	117 1 try	197 1 try	47 1 try	15 tries	62 3 tries	77 1 try	25 2 tries
2	Treenity University of Cambridge	10 1046	37 1 try	40 1 try	65 1 try	112 1 try	203 2 tries	134 1 try	296 2 tries	19 1 try	4 tries	85 1 try	1 try	15 1 try
3	Prime Goal University of Cambridge	8 627	17 1 try	10 1 try	125 1 try		92 1 try	198 1 try		49 1 try	1 try	115 1 try	5 tries	21 1 try
4	Me! ♠ Talci University of Cambridge	8 628	29 1 try	22 1 try	39 1 try	2 tries	2 tries	99 1 try	289 3 tries	34 1 try	2 tries	47 2 tries		9 1 try
5	University of Oxford Los Patrons University of Oxford	8 739	13 1 try	36 3 tries	87 1 try		2 tries	116 1 try	2 tries	65 1 try	4 tries	160 1 try	204 1 try	18 1 try
6	Manchester Uni Big Dawgs' Society University of Manchester	8 857	28 1 try	24 2 tries	113 1 try	4 tries	1 try	186 1 try		123 1 try		66 2 tries	268 1 try	9 1 try
7	2 Brits and a Dutchman University of Oxford	8 1215	112 1 try	127 2 tries	94 1 try		220 1 try	180 1 try		84 1 try		233 6 tries		45 1 try
8	Spare team OX University of Oxford	8 1261	13 3 tries	288 8 tries	40 1 try		276 1 try	186 2 tries		127 2 tries		90 1 try		21 1 try
9	FakeMaths University of Cambridge	7 492	14 1 try	24 2 tries	79 1 try			182 1 try	2 tries	34 1 try	3 tries	91 1 try	1 try	48 1 try
10	Dublin City University -> [B]ichael [B] [B]iggins -> Dublin City University	7 727	41 1 try	26 2 tries	133 1 try		2 tries	235 1 try		53 1 try		204 1 try		15 1 try
11	Robert!); DROP TABLE teams;-- University of Oxford	7 745	68 1 try	21 1 try	43 1 try			231 3 tries		101 1 try	3 tries	136 5 tries		25 1 try
12	AKSLOP-7991 University of Cambridge	7 755	103 2 tries	18 1 try	121 1 try	3 tries		275 1 try		35 1 try		116 4 tries		7 1 try
13	Spaghetti Coders University of Cambridge	7 776	10 1 try	112 3 tries	28 1 try			188 1 try		132 1 try	3 tries	205 3 tries		21 1 try
14	Slope Party University of Cambridge	7 916	123 1 try	107 5 tries	88 1 try	1 try	1 try	262 4 tries		47 1 try		73 2 tries		36 2 tries
15	University of Edinburgh Edu-hoc University of Edinburgh	7 984	135 2 tries	107 3 tries	159 2 tries			219 1 try		52 1 try		98 4 tries		54 2 tries
16	University of Glasgow Team 47 University of Glasgow	7 1238	179 2 tries	214 2 tries	292 1 try			138 1 try		26 1 try		233 2 tries		96 1 try
	University of Nottingham 金角大小Wong's二斤手工瓜皮牛肉面		38	220	99			294		121		298		9


Programming contests

- Leids Kampioenschap Programmeren (LKP)
- Benelux Algorithm Programming Contest (BAPC)
- North-Western European Regional Contest (NWERC)
- International Collegiate Programming Contest (ICPC)
- Online: Topcoder, HackerRank, Codeforces, AtCoder, CodeChef, USACO, ICPC Live Archives ...



Plexus Informatie Trefpunt voor Studenten





Lab session: Domjudge introduction

- In Snellius room 302/304
- Navigate to <https://domjudge.liacs.nl>
- Register an account
- Familiarize yourself with the domjudge team manual at <https://www.domjudge.org/docs/team-manual.pdf>
- Submit solutions to the three (toy example) assignments in C++
- Try to at least once get WRONG ANSWER and TIMELIMIT
- Finish by submitting a CORRECT solution to all three assignments (at least before next week's lecture)
- Sign up and play around with real problems at “Kattis”: <https://open.kattis.com>

This course, in particular these slides, are largely based on:

- Antti Laaksonen, *Guide to Competitive Programming*, Springer, 2017.
- Steven Halim and Felix Halim, *Competitive Programming 3*, Lulu.com, 2013.

Where applicable, full credit for text, images, examples, etc. goes to the authors of these books.