

### Exercise 3.21.

Consider the following transition table for an NFA with states 1–5, initial state 1 and input alphabet  $\{a, b\}$ . There are no  $\Lambda$ -transitions:

$q$	$\delta(q, a)$	$\delta(q, b)$
1	$\{1, 2\}$	$\{1\}$
2	$\{3\}$	$\{3\}$
3	$\{4\}$	$\{4\}$
4	$\{5\}$	$\emptyset$
5	$\emptyset$	$\{5\}$

- Draw a transition diagram of the NFA (note that the accepting states are not specified).
- Calculate  $\delta^*(1, ab)$ .
- Calculate  $\delta^*(1, abaab)$ .

### Exercise 3.22.

A transition table is given for an NFA with seven states.

$q$	$\delta(q, a)$	$\delta(q, b)$	$\delta(q, \Lambda)$
1	$\emptyset$	$\emptyset$	$\{2\}$
2	$\{3\}$	$\emptyset$	$\{5\}$
3	$\emptyset$	$\{4\}$	$\emptyset$
4	$\{4\}$	$\emptyset$	$\{1\}$
5	$\emptyset$	$\{6, 7\}$	$\emptyset$
6	$\{5\}$	$\emptyset$	$\emptyset$
7	$\emptyset$	$\emptyset$	$\{1\}$

Find:

**d.**  $\delta^*(1, ba)$


**e.**  $\delta^*(1, ab)$

**f.**  $\delta^*(1, ababa)$

### Exercise 3.37.

For each part below, use the algorithm from the lecture to draw an NFA with no  $\Lambda$ -transitions accepting the same language as the NFA pictured.

b.



### Exercise 3.40.

For each part below, draw an FA accepting the same language as the NFA shown.

a.

