

# Compilerconstructie

najaar 2014

<http://www.liacs.nl/home/rvvlief/coco/>

**Rudy van Vliet**

kamer 124 Snellius, tel. 071-527 5777  
rvvlief(at)liacs(dot)nl

college 8, dinsdag 11 november 2014  
+ ‘werkcollege’

Code Optimization

## 8.5 Optimization of Basic Blocks

To improve running time of code

- Local optimization: within block
- Global optimization: across blocks

Local optimization benefits from DAG representation of basic block

## 8.5.1 DAG Representation of Basic Blocks

1. A node for initial value of each variable appearing in block
2. A node  $N$  for each statement  $s$  in block  
Children of  $N$  are nodes corresponding to last definitions of operands used by  $s$
3. Node  $N$  is labeled by operator applied at  $s$   
 $N$  has list of variables for which  $s$  is last definition in block
4. *Output nodes*  $\approx$  live on exit

Example:

```
a = b + c
b = a - d
c = b + c
d = a - d
```

## 8.5.2 Finding Local Common Subexpressions

- Use value-number method to detect common subexpressions
- Remove redundant computations

Example:

```
a = b + c  
b = a - d  
c = b + c  
d = a - d
```

# Local Common Subexpression Elimination

- Use value-number method to detect common subexpressions
- Remove redundant computations

Example:

$$\begin{aligned}a &= b + c \\b &= a - d \\c &= b + c \\d &= a - d\end{aligned}$$
$$\begin{aligned}a &= b + c \\b &= a - d \\c &= b + c \\d &= b\end{aligned}$$

### 8.5.3 Dead Code Elimination

- Remove roots with no live variables attached
- If possible, repeat

Example:

```
a = b + c  
b = b - d  
c = c + d  
e = b + c
```

No common subexpression

If  $c$  and  $e$  are not live...

# Dead Code Elimination

- Remove roots with no live variables attached
- If possible, repeat

Example:

$$a = b + c$$

$$b = b - d$$

$$c = c + d$$

$$e = b + c$$

$$a = b + c$$

$$b = b - d$$

No common subexpression

If  $c$  and  $e$  are not live...

## 8.5.5 Representation of Array References

```
x = a[i]  
y = x+z  
z = a[i]
```

DAG...

# Representation of Array References

x = a[i]

a[j] = y

z = a[i]

DAG...


# Representation of Array References

```
b = 12 + a
```

```
x = b[i]
```

```
a[j] = y
```

```
z = b[i]
```



DAG...

## 8.5.6 Pointer Assignments and Procedure Calls

a = b + c

e = a - d

c = b + c

b = a - d

DAG...

# Pointer Assignments vs. Common Subexpressions

```
p = &a
a = b + c
e = a - d
*p = y
c = b + c
b = a - d
```

DAG...

# Pointer Assignments vs. Common Subexpressions

```
a = b + c
e = a - d
*p = y
c = b + c
b = a - d
```

DAG...

# Pointer Assignments vs. Dead Code

```
a = b + c  
b = b - d  
c = c + d  
e = b + c  
x = *p
```

DAG...

If *c* and *e* are not live...

**To summarize:**

$*q = y$

$x = *p$

Procedure calls. . .

## 8.5.4 The Use of Algebraic Identities

and other algebraic transformations

(cf. assignment 3)

Algebraic identities:

$$\begin{aligned}x + 0 &= 0 + x = x \\x * 1 &= 1 * x = x\end{aligned}$$

Reduction in strength:

$$\begin{aligned}x^2 &= x * x \quad (\text{cheaper}) \\2 * x &= x + x \quad (\text{cheaper}) \\x/2 &= x * 0.5 \quad (\text{cheaper})\end{aligned}$$

Constant folding:

$$2 * 3.14 = 6.28$$

# Algebraic Transformations

Common subexpressions resulting from commutativity / associativity of operators:

$$\begin{aligned}x * y &= y * x \\c + d + b &= (b + c) + d\end{aligned}$$

Common subexpressions generated by relational operators:

$$x > y \Leftrightarrow x - y > 0$$

## 8.7 Peephole Optimization

- Examines short sequence of instructions in a window (peephole) and replace them by faster/shorter sequence
- Applied to intermediate code or target code
- Typical optimizations
  - Redundant instruction elimination
  - Eliminating unreachable code
  - Flow-of-control optimization
  - Algebraic simplification
  - Use of machine idioms

## 8.7.1 Eliminating Redundant Loads and Stores

Naive code generator may produce

```
ST  a, R0  
LD  R0, a
```

N.B.: optimize only within basic block

## 8.7.2 Eliminating Unreachable Code

Example:

```
if debug == 1 goto L1
goto L2
L1: print debugging information
L2:
```

# Eliminating Unreachable Code

Example:

```
if debug != 1 goto L2
L1: print debugging information
L2:
```

If `debug` is set to 0 at beginning of program, . . .

### 8.7.3 Flow-of-Control Optimizations

Example 1:

```
goto L1  
...  
L1: goto L2
```

Example 3:

```
goto L1  
...  
L1: if a < b goto L2  
L3:
```

## 9.1 The Principal Sources of Optimization

Causes of redundancy

- At source level
- Side effect of high-level programming language, e.g.,  $A[i][j]$

## 9.1.2 A Running Example: Quicksort

```
void quicksort (int m, int n)
    /* recursively sorts a[m] through a[n] */
{
    int i, j;
    int v, x;

    if (n <= m) return;


    i = m-1; j = n; v = a[n];
    while (1)
    {
        do i = i+1; while (a[i] < v);
        do j = j-1; while (a[j] > v);
        if (i >= j) break;
        x = a[i]; a[i] = a[j]; a[j] = x; /* swap a[i], a[j] */
    }
    x = a[i]; a[i] = a[n]; a[n] = x; /* swap a[i], a[n] */

    quicksort(m,j); quicksort(i+1,n);
}
```


# Three-Address Code Quicksort

→ (1) i = m-1	(16) t7 = 4*i
(2) j = n	(17) t8 = 4*j
(3) t1 = 4*n	(18) t9 = a[t8]
(4) v = a[t1]	(19) a[t7] = t9
→ (5) i = i+1	(20) t10 = 4*j
(6) t2 = 4*i	(21) a[t10] = x
(7) t3 = a[t2]	(22) goto (5)
(8) if t3 < v goto (5)	→ (23) t11 = 4*i
→ (9) j = j-1	(24) x = a[t11]
(10) t4 = 4*j	(25) t12 = 4*i
(11) t5 = a[t4]	(26) t13 = 4*n
(12) if t5 > v goto (9)	(27) t14 = a[t13]
→ (13) if i >= j goto (23)	(28) a[t12] = t14
→ (14) t6 = 4*i	(29) t15 = 4*n
(15) x = a[t6]	(30) a[t15] = x


# Flow Graph Quicksort




# Local Common Subexpressions




# Global Common Subexpressions




# Global Common Subexpressions




# Global Common Subexpressions




# Global Common Subexpressions




# Copy Propagation



# Dead-Code Elimination



# Dead-Code Elimination



# Code Motion

- loop-invariant computation
- compute **before** loop
- Example:

```
while (i <= limit-2) /* statement does not change limit */
```


After code-motion

```
t = limit-2
while (i <= t) /* statement does not change limit or t */
```


# Induction Variables and Reduction in Strength

- Induction variable: each assignment to  $x$  of form  $x = x + c$
- Reduction in strength: replace expensive operation by cheaper one


# Induct.Var / Reduct.Strength



# Induct.Var / Reduct.Strength




# Induct.Var / Reduct.Strength



# **Exercise 1**

# Flow Graph

## Exercise 1



## En verder . . .

- Maandag 17 november: inleveren opdracht 3
- Dinsdag 18 november: practicum over opdracht 4
- Eerst naar 402, daarna naar 302/304
- Inleveren 8 december
- Dinsdag 25 november: hoor-/werkcollege in 402
- Dinsdag 2 december: extra practicum over opdracht 4

# Compilerconstructie

college 8  
Code Optimization

Chapters for reading:  
8.5–8.5.6, 8.7  
9.intro, 9.1