

Fundamentele Informatica 3

voorjaar 2018

<http://www.liacs.leidenuniv.nl/~vlietrvan1/fi3/>

Rudy van Vliet

kamer 140 Snellius, tel. 071-527 2876

rvvliet(at)liacs(dot)nl

college 5, 5 maart 2018

8. Recursively Enumerable Languages

8.3. More General Grammars

Huiswerkgave

Voor 0.4pt


Inleveren: maandag 26 maart 2018, 11:05 uur

8.3. More General Grammars

reg. languages	FA	reg. grammar	reg. expression
determ. cf. languages	DPDA		
cf. languages	PDA	cf. grammar	
cs. languages	LBA	cs. grammar	
re. languages	TM	unrestr. grammar	



A slide from lecture 1

FI2: Pumping Lemma for CFLs



A slide from lecture 1

FI2: Pumping Lemma for CFLs



Definition 8.10. Unrestricted grammars

An unrestricted grammar is a 4-tuple $G = (V, \Sigma, S, P)$, where V and Σ are disjoint sets of variables and terminals, respectively, S is an element of V called the start symbol, and P is a set of productions of the form

$$\alpha \rightarrow \beta$$

where $\alpha, \beta \in (V \cup \Sigma)^*$ and α contains at least one variable.

Notation as for CFGs:

$$\alpha \Rightarrow_G^* \beta$$

$$L(G) = \{x \in \Sigma^* \mid S \Rightarrow_G^* x\}$$

but...

Example 8.12. A Grammar Generating $\{a^n b^n c^n \mid n \geq 1\}$

Example 8.12. A Grammar Generating $\{a^n b^n c^n \mid n \geq 1\}$

$$S \rightarrow SABC \mid LABC$$

$$BA \rightarrow AB \quad CB \rightarrow BC \quad CA \rightarrow AC$$

$$LA \rightarrow a \quad aA \rightarrow aa \quad aB \rightarrow ab \quad bB \rightarrow bb \quad bC \rightarrow bc \quad cC \rightarrow cc$$

Example 8.11. A Grammar Generating $\{a^{2^k} \mid k \in \mathbb{N}\}$

$$\{a, a^2, a^4, a^8, a^{16}, \dots\} = \{a, aa, aaaa, aaaaaaaaa, aaaaaaaaaaaaaaaaaa, \dots\}$$

Example 8.11. A Grammar Generating $\{a^{2^k} \mid k \in \mathbb{N}\}$

$$\{a, a^2, a^4, a^8, a^{16}, \dots\} = \{a, aa, aaaa, aaaaaaaaaa, aaaaaaaaaaaaaaaaaaaa, \dots\}$$

$$S \rightarrow LaR$$

$$L \rightarrow LD \quad Da \rightarrow aaD \quad DR \rightarrow R$$

$$L \rightarrow \Lambda \quad R \rightarrow \Lambda$$

Example.

An Unrestricted Grammar Generating $XX = \{xx \mid x \in \{a, b\}^*\}$

First a CFG for $Pal = \{x \in \{a, b\}^* \mid x = x^r\}$:

$$S \rightarrow aSa \mid bSb \mid a \mid b \mid \Lambda$$

Example.

An Unrestricted Grammar Generating $XX = \{xx \mid x \in \{a,b\}^*\}$

$$S \rightarrow aAS \mid bBS \mid M$$

$$Aa \rightarrow aA \quad Ab \rightarrow bA \quad Ba \rightarrow aB \quad Bb \rightarrow bB$$

$$AM \rightarrow Ma \quad BM \rightarrow Mb \quad M \rightarrow \Lambda$$

Theorem 8.13.

For every unrestricted grammar G , there is a Turing machine T with $L(T) = L(G)$.

Proof.

1. Move past input
2. Simulate derivation in G on the tape of a Turing machine
3. Equal

Theorem 8.13.

For every unrestricted grammar G , there is a Turing machine T with $L(T) = L(G)$.

Proof.

1. Move past input
2. Simulate derivation in G on the tape of a Turing machine:
 - Write S on tape
 - Repeat
 - a. Select production $\alpha \rightarrow \beta$
 - b. Select occurrence of α (if there is one)
 - c. Replace occurrence of α by β
 - until b. fails (caused by ...)
3. Equal

A slide from lecture 4

Theorem 7.31.

For every nondeterministic TM $T = (Q, \Sigma, \Gamma, q_0, \delta)$, there is an ordinary (deterministic) TM $T_1 = (Q_1, \Sigma, \Gamma_1, q_1, \delta_1)$ with $L(T_1) = L(T)$.

Moreover, if there is no input on which T can loop forever, then T_1 also halts on every input.

The proof of this result does not have to be known for the exam.

Example.

(The second part of) the construction from Theorem 8.13 to obtain a TM simulating a derivation in the unrestricted grammar with productions

$$S \rightarrow aBS \mid \Lambda \quad aB \rightarrow Ba \quad Ba \rightarrow aB \quad B \rightarrow b$$


See next slide

N.B.:

In next slide, we simulate application of arbitrary production by

- first moving to arbitrary position in current string (at q_2)
- only then selecting (and applying) a possible production

This implementation of the construction must be known for the exam



Theorem 8.14.

For every Turing machine T with input alphabet Σ , there is an unrestricted grammar G generating the language $L(T) \subseteq \Sigma^*$.

Proof.

1. Generate (every possible) input string for T .
2. Simulate computation of T for this input string as derivation in grammar.
3. If T reaches accept state, reconstruct original input string.

Combination of two slides from lecture 2

Notation:


description of tape contents: $x\underline{\sigma}y$ or $x\underline{y}$

configuration $xqy = xqy\Delta = xqy\Delta\Delta$

initial configuration corresponding to input x : $q_0\Delta x$

In the third edition of the book, a configuration is denoted as $(q, x\underline{y})$ or $(q, x\underline{\sigma}y)$ instead of xqy or $xq\sigma y$.

In one case, we still use this old notation.




Theorem 8.14.

For every Turing machine T with input alphabet Σ , there is an unrestricted grammar G generating the language $L(T) \subseteq \Sigma^*$.

Proof.

1. Generate (every possible) input string for T (two copies), with additional $(\Delta\Delta)$'s and state.
2. Simulate computation of T for this input string as derivation in grammar (on second copy).
3. If T reaches accept state, reconstruct original input string.



3. If T reaches accept state, reconstruct original input string. . .

Theorem 8.14.

For every Turing machine T with input alphabet Σ , there is an unrestricted grammar G generating the language $L(T) \subseteq \Sigma^*$.

Proof.

1. Generate (every possible) input string for T (two copies), with additional $(\Delta\Delta)$'s and state.
2. Simulate computation of T for this input string as derivation in grammar (on second copy).
3. If T reaches accept state, reconstruct original input string.

Ad 2. Move $\delta(p, a) = (q, b, R)$ of T
yields production $p(\sigma_1 a) \rightarrow (\sigma_1 b)q$

Ad 3. Propagate h_a all over the string

$$h_a(\sigma_1 \sigma_2) \rightarrow \sigma_1, \text{ for } \sigma_1 \in \Sigma$$

$$h_a(\Delta \sigma_2) \rightarrow \Lambda$$

Your **opinion** is important.
What do you think of your
study programme?

Fill in the **NSE**

Check your mail, click the link and give
your opinion!

donderdag 8 maart, 15.30 uur, Gorlaeus C1

AlphaGo



<https://is.gd/liacsalphago>